

Comedor principal y sala de reunión de la junta directiva

Sala de reuniones

Escalera principal

Escalera secundaria

Comedor principal y sala de reunión de la junta directiva

[illegible]

The architectural floor plan depicts a large, rectangular building complex. The central feature is a large hall with a grid of rectangular spaces, likely classrooms or lecture halls. A central staircase provides access to different levels. Surrounding the main hall are various rooms, including a library, administrative offices, and specialized rooms for cultural activities. The plan is annotated with numerous labels in Polish, such as 'Korpus 1', 'Korpus 2', 'Korpus 3', 'Korpus 4', 'Korpus 5', 'Korpus 6', 'Korpus 7', 'Korpus 8', 'Korpus 9', 'Korpus 10', 'Korpus 11', 'Korpus 12', 'Korpus 13', 'Korpus 14', 'Korpus 15', 'Korpus 16', 'Korpus 17', 'Korpus 18', 'Korpus 19', 'Korpus 20', 'Korpus 21', 'Korpus 22', 'Korpus 23', 'Korpus 24', 'Korpus 25', 'Korpus 26', 'Korpus 27', 'Korpus 28', 'Korpus 29', 'Korpus 30', 'Korpus 31', 'Korpus 32', 'Korpus 33', 'Korpus 34', 'Korpus 35', 'Korpus 36', 'Korpus 37', 'Korpus 38', 'Korpus 39', 'Korpus 40', 'Korpus 41', 'Korpus 42', 'Korpus 43', 'Korpus 44', 'Korpus 45', 'Korpus 46', 'Korpus 47', 'Korpus 48', 'Korpus 49', 'Korpus 50', 'Korpus 51', 'Korpus 52', 'Korpus 53', 'Korpus 54', 'Korpus 55', 'Korpus 56', 'Korpus 57', 'Korpus 58', 'Korpus 59', 'Korpus 60', 'Korpus 61', 'Korpus 62', 'Korpus 63', 'Korpus 64', 'Korpus 65', 'Korpus 66', 'Korpus 67', 'Korpus 68', 'Korpus 69', 'Korpus 70', 'Korpus 71', 'Korpus 72', 'Korpus 73', 'Korpus 74', 'Korpus 75', 'Korpus 76', 'Korpus 77', 'Korpus 78', 'Korpus 79', 'Korpus 80', 'Korpus 81', 'Korpus 82', 'Korpus 83', 'Korpus 84', 'Korpus 85', 'Korpus 86', 'Korpus 87', 'Korpus 88', 'Korpus 89', 'Korpus 90', 'Korpus 91', 'Korpus 92', 'Korpus 93', 'Korpus 94', 'Korpus 95', 'Korpus 96', 'Korpus 97', 'Korpus 98', 'Korpus 99', 'Korpus 100'. The plan also shows the building's connection to the surrounding urban environment, including streets and adjacent structures.

The architectural floor plan depicts a large, rectangular monastery complex. The main building is divided into several sections, including a large central hall, a smaller hall, and a large hall. The plan is labeled with 'Klosterbezirk' and 'Kloster der Barmherzigen Schwestern'. The plan shows a large rectangular building with multiple courtyards and internal courtyards. Key areas include the 'Klosterkirche' (Monastery Church) at the top, the 'Klosterkloster' (Monastery Cloister) in the center, and the 'Klosterkloster' (Monastery Cloister) at the bottom. The plan is labeled with 'Klosterbezirk' and 'Kloster der Barmherzigen Schwestern'.

ESTRUCTURA_SOSTRE PLANTA ACCÈS

Architectural floor plan of the first floor of the 'Khan' building. The plan shows a large central hall with a grid of rooms, a staircase, and several smaller rooms. Dimensions are provided for various sections. The plan is oriented with the entrance at the top.

ESTRUCTURA_SOSTRE PLANTA ADMINISTRACI

[illegible]

ARRANCADA DE PILARS SOBRE LLOSA DE FONAMENTACIÓ

[illegible]

DETAIL FOSSAT D'ASCENSOR

[illegible]

DETALL ARRANCADA DE MUR DESDE SOLERA

Armat básico

DETALL ARRANCADA D'ESCALA DESDE SOLERA

Diagrama de un sistema de drenaje en un edificio. Se muestra una sección transversal de una pared y un techo. El agua de lluvia cae sobre el techo y es recogida por un canal de drenaje. El agua fluye a través de un tubo de drenaje que atraviesa la pared y sale al exterior. El tubo de drenaje está etiquetado como "Tubo de drenaje" y el canal de drenaje como "Canal de drenaje". El agua que sale al exterior está etiquetada como "Agua de lluvia".

RIOSTRES 90X90 i 45X45 **LONGITUDS D'ANCORATGE EN RIOSTRE**

JUNTES A FORJATS

Nota: Prever juntas de formigão a superfície da parede, para evitar fissuras decorrentes da retração e da expansão térmica.

NIVELL FREATTC

Figure 1 is a schematic diagram of a reinforced concrete frame structure. It shows a rectangular frame with four columns and two beams. A dashed diagonal line represents the failure mechanism. Labels include "U.S. postleaky pillar" at the top right and "U.S. antileaky pillar" at the bottom left.

DE IALL SOLEKA $\theta=30/50\text{cm}$

Modulo de panel de concreto con
revestimiento superficial de mod.
de pino de 3 a 4 cm

Llave

Fijación de metal

Congruente perimetral

Nota: Prevención de alérgenos: el uso de
materiales naturales como el pino.

JUNTES A FONAMENTACIÓ

MÓDUL DE PANTALLA

Y també s'ofereixen llocs per a adults en 425m quan el diàmetre nominal de les barres (Ø) sigui major a 20mm.

FORJAT IMUR

INIZIÒ EMPOTRADA ENTRE

LLOSA I MUR

INIȚIEMPOTRADĂ ENTRE

DETTALL SABATTA

ARMAT DE CREUTES EMBEGUDES EN LLOSES

Figura 10: Detalle de la conexión entre el muro y el forjado. Se muestra un muro de hormigón armado que se conecta con un forjado de hormigón armado. El muro tiene una altura h y una anchura a . El forjado tiene una anchura b . La conexión se realiza mediante una viga de hormigón armado que se ancla en el muro y el forjado. Se indica la presencia de "Cables" y "Cables de acero".

DOBLATGE-DESDOBLATGE

passato, la seva armadura superior s'acortirà
mifangant patilles.

Quem la creueta s'emboïga a un congèny o

Como recomendación de las tolerancias al radi de curvatura (ρ) no se designaban valores que varían en 10 mm, como el diámetro nominal de la barra, sino que indicaban a lo más 50 mm.

[illegible]