

Referencias

- Aitchison, G. D. & Bishop, A. W. 1960. *Discussion in: Pore pressure and suction in soils*, 150. London: Butterworth.
- Aitchison, G., D. 1965. Moisture equilibria and moisture changes in soils beneath covered areas, *A Symp. In Print*, G. D. Aitchison, Ed. Australia: Butterworths 1965, pp. 278.
- Aitchison, G. D. 1967. The separate roles of the site investigation, quantification of soil properties and selection of operational environment in the determination of foundation design on expansive soils. *Proc. 3rd Asian Reg. Conf. on SMFE*, 2, pp. 72-77. Haifa
- Aitchison, G. D. & Woodburn, J. A. 1969. Soil suction in foundation design. *Proc. 7th ICSMFE*, 2. Mexico, pp. 1-8.
- AITEMIN, 1999. *Äspö "Backfill and Plug Test". Sistema de medida local de permeabilidad mediante ensayos de pulso, Desarrollo, puesta a punto e instalación*. COD. ADJ. 703267. Technical Report (In Spanish), Madrid, Spain.
- AITEMIN, 2001a. *The EB Experiment Engineered Barrier Emplacement in Opalinus Clay*. EB Project internal report. Test Plan, version 3.0. Mont Terri, Switzerland
- AITEMIN, 2001b. *EB Experiment. Geomechanical and Hydraulic instrumentation layout*. EB Project internal report. Mont Terri, Switzerland
- Alonso, E. E. & Lloret, A. 1985. Comportamiento de suelos parcialmente saturados. *Revista de Obras Publicas*. Mayo-junio, pp. 435-461.
- Alonso, E.E., Gens, A. and Josa, A. 1990. A constitutive model for partially saturated soils. *Géotechnique* 40, Nº3, pp. 405-430.
- Alonso, E.E, Gens, A. and Gehling, W.Y.Y. 1994. Elastoplastic model for unsaturated expansive soils. *3rd Conf. Num. Meth. Geotech. Engng*, pp. 11-18
- Alonso E. E., Yang D. Q., Lloret A., and Gens 1995. Experimental behaviour of highly expansive double-structure clay. *1st Int. Conference on Unsaturated Soils*, Vol. 1, 11. Paris 1995.
- Alonso, E.E. 1998. Modelling expansive soil behaviour. Keynote Lecture . *Proc. 2nd. Int. Conference on Unsaturated Soils*. International Academic Publishers. Beijing, 2, pp. 37-70.
- Alonso, E.E., Vaunat, J., Gens, A. 1999. Modelling the mechanical behaviour of expansive clays, *Engineering Geology*, 54, pp. 173-183.
- Alonso, E.E., Romero, E., Hoffmann, C. & García-Escudero, E. 2001. Expansive bentonite-sand mixtures in cyclic controlled-suction drying and wetting. *6th International Workshop on Key Sigues on Waste Isolation Research*. Paris, November 2001.
- Anderson, A. N. & McBratney, A. B. 1995. Soil Aggregates as mass fractals. *Aust. J. Soil Res.* 33, pp. 757-772.

- ASTM D2435-90 *Standard test method for one-dimensional consolidation properties of soils.*
- ASTM D4511-00 *Standard test method for hydraulic conductivity of essentially saturated peat.*
- ASTM D4546-90 *Standard test methods for one-dimensional swell or settlement potential of cohesive soils.*
- Balmacedas, A. R. 1991. *Suelos Compactados. Un estudio teórico y experimental.* PhD Thesis, Universitat Politècnica de Catalunya. Barcelona. España
- Barrera, M. 2002. *Estudio Experimental del Comportamiento Hidro-Mecánico de Suelos Colapsables.* PhD Thesis. Universitat Politècnica de Catalunya. Barcelona. España.
- Biot, M.A. 1941. General theory of three-dimensional consolidation. *Journal of Applied Physics*, 12, 1941, pp. 155-164.
- Bishop, A.W. 1959. The principle of effective stress. *Teknisk Ukeblad*, 39, pp. 859-863.
- Bossart, P. 1999. Characteristics of Argillaceous Rock. *A Catalogue of the characteristics of argillaceous rocks studied with respect to radioactive Waste Disposal Issues.* Paul Bossart / IG- St Ursane. Revision number 1.6-01/09/99.
- Brackley, I. J. A. 1975. Swell Under Load. Proc. 6th Reg. Conf. for Africa on SMFE, 1, pp. 71-79. Durban.
- Buckingham, E. 1907 Studies on the movement of soil moisture, *U.S. Dept. Agr., Bur. Soils Bul.* 38.
- Carman, P. C., 1937, Fluid flow through a granular bed. *Transactions of the Institution of Chemical Engineers*, v. 15, London, p. 150-167.
- Casagrande, A. 1936. The Determination of the Preconsolidation Load and its Practical Significance. *Proc. 1st Int. Conf. Soil Mech.* Cambridge, Mass. 3, pp. 60-64.
- Castellanos, E. 2004. *Efecto de la succión osmótica en el comportamiento expansivo de muestras de bentonita.* PhD Tesis (en preparación). Universitat Politècnica de Catalunya. Barcelona. España.
- Chen, F.H. 1975. *Foundations on Expansive Soils.* Elsevier Science Ltd.
- Chu, T. Y. & Mou, C. H. 1973, Volume change characteristics of expansive soils determined by controlled suction tests. *Proceedings 3rd International Conference on Expansive Soils*, Vol. 1, Haifa, Israel, pp. 177-185.
- Coleman, J.D. 1962. Stress strain relations for partly saturates soils. Correspondence. *Géotechnique* 12, nº 4, pp. 348-350.
- CODE_BRIGHT. 2002. A 3-D program for thermo-hydro-mechanical analysis in geological media. Departamento de Ingeniería del Terreno, Cartográfica y Geofísica (UPC, Barcelona, Spain). CIMNE
- Delage, P., Tessier, D. & Audiguier, M.M. 1982. Use of the cryoscan apparatus for observation of freeze-fractured planes of a sensitive Quebec clay in scanning electron microscopy. *Can. Geotech. J.*, 19, pp. 111-114.

- Delage, P. & Lefebvre, G. 1984. Study of the structure of a sensitive Champlain clay and of its evolution during consolidation. *Can. Geotech. J.*, 21, pp. 21-35.
- Delage, P., Audiguier, M., Cui, Y.-J. & Howat, D. 1996. Microstructure of a compacted silt. *Can. Geotech. J.*, 33, pp. 150-158.
- Delage, P., Howat, M. D. & Cui, Y.J. 1998. The Relationship between suction and swelling properties in a heavily compacted unsaturated clay. *Engineering Geology* 50, pp. 31-48.
- Di Mariano, A., Airò Farulla, C. & Valore, C. 2000. Retention curves and 1-D behaviour of a compacted tectonised unsaturated clay. *Experimental Evidence and Theoretical Approaches in Unsaturated Soils*. Tarantino & Mancuso (eds). Balkema, Rotterdam.
- Escario, V., & Sáez, J. 1986. The shear strength of partly saturated soils. *Géotechnique*, 36, pp. 453-456.
- ENRESA 2000. FEBEX Project. *Full-scale engineered barriers experiment for a deep geological repository for high level radioactive waste in crystalline host rock. Final report*. Madrid.
- Fair, G. M., & Hatch, L. P. 1933. Fundamental factors governing the streamline flow of water through sand. *J. Americ. Water Work Ass.* 25, pp. 1551-1565.
- Feder, J. 1988. Fractal geometry and analysis. Kluwer Academic Publishers, Dordrecht. *Geometry of Fractal Sets*, Cambridge University Press.
- Fredlund, D.G. & Morgenstern, N.R. 1976. Constitutive relations for volume change in unsaturated soils. *Can. Geotech. J.* 13, nº 3, pp. 261-276.
- Fredlund, D. G. & Morgensten, N. R. 1977. Stress variables of for unsaturated soils. *ASCE J. Geotech. Eng. Div.* GT5, vol. 103, pp. 447-466.
- Fredlund, D. G. and Rahardjo, H. 1993. *Soil mechanics for unsaturated soils*. John Wiley & Sons, Inc.
- García-Escudero, E. 2000. Tesina. *Comportamiento de suelos expansivos bajo ciclos de succión*. Universitat Politècnica de Catalunya. Barcelona. España.
- Gardner, W. & Widstoe J. A. 1921. The movement of soil moisture. *Soil Sci.*, Vol. 11, pp. 215-232.
- Gens, A. & Alonso, E.E. 1992. A framework for the behaviour of unsaturated expansive clays. *Can. Geotech. J.* 29, pp. 1013-1032.
- Gimenez, D., Perfect, E., Rawls, W. J. & Pachepsky, Ya. 1997. Fractal Models for Predicting Soils Hydraulic Properties: a review. *Eng. Geology* 48, pp. 161-183.
- Griffiths, Y. & Joshi, R.C. 1989. Change in pore size distribution due to consolidation of clays. *Géotechnique*, 39. Vol. 1, pp. 159-167.
- GRIM, R. E. 1972. *International Clay Conference*. Madrid. España.
- Habib, S. A., Kato, T. & Karube, D. 1992, One dimensional swell behaviour of unsaturated soil. *Proc. 7th Int. Conf. on Expansive Soils*. Dallas, pp. 222-226.

- Habib, S. A. & Karube. 1993. Swelling pressure behaviour under controlled suction. *Geotechnical Testing Journal*, GTJODJ, 16(2), pp. 271-275.
- Hilf JW 1956. *An investigation of pore-water pressure in compacted cohesive soils*. Ph.D. thesis, Technical Memorandum 654, U.S. Department of the Interior Bureau of Reclamation, Denver, Colorado
- Hoffmann, C., Alonso, E. E. & Romero, E. 2003. Hydro-mechanical fabric changes of a pellet-based bentonite buffer material and their effects on mechanical behaviour. *GeoProc 2003. International Conference on Coupled T-H-M-C Processes in Geosystems: Fundamentals, Modelling, Experiments and Applications*. STOCKHOLM.
- Hoffmann, C. Romero, E. & Alonso, E. E. 2005a. Combining different suction control techniques to study the volume change response of expansive clays over high suction ranges. Aceptado para Trento, Italy. *International Symposium on Advanced Experimental Unsaturated Soil Mechanics- EXPERUS 2005*
- Hoffmann, C. Romero, E. & Alonso, E. E. 2005b. Hydro-mechanical small-scale tests on compacted bentonite. Aceptado para Trento, Italy. *International Symposium on Advanced Experimental Unsaturated Soil Mechanics- EXPERUS 2005*
- Hofmann, J. D. 1993. *Numerical methods for engineers and scientists*. Mc Graw-Hill.
- Jaky, J. 1948. Pressure in soils. *Proc. 2nd Int. Conf. on Soil Mech. and Found. Eng.* Rotterdam, Vol. 1, pp. 103-107.
- JNC. Supporting Report N°2. Repository Design and Engineering Technology. 2001. Project to Establish the Scientific and Technical Basis for HLW Disposal in Japan.
- Kaczmarek M., Hueckel, T. 1998. Use of Porosity in Models of Consolidation; *Journal of Engineering Mechanics*, 1998, pp.237-239,.
- Kamiya, K. & Uno, T. 2000. Grain size and void diameter of sands. *Proc. Asian Conf. on Unsaturated Soils*. Rahardjo, Toll & Leong (eds). Balkema, Rotterdam, pp. 399-404.
- Krumbein, W. C., and Monk, G. D. 1943. Permeability as a function of the size parameters of unconsolidated sand: *Trans. Amer. Inst. Min. Met. Engrs.*, v. 151, pp. 153-163.
- Kennedy, K. G., Verfuss, F., Plötze, M & Makrutzki, D. 2003. Granular bentonite material product preparation process and description. *Engineered Barrier (EB) Experiment: Deliverable D3(c)*. NAGRA.
- Ladd, C. C. 1960. Mechanisms of swelling by compacted clay. Water Tensions; Swelling Mechanisms; Strength of Compacted Soil., *Highway Research Board Bulletin 245*, pp. 10-26.
- Ledesma, A., Chan, A. H C., Vaunat, J. and Gens. 1995. Finite element formulation of an elastoplastic model for partially saturated soils. *Proc. of the Fourth Int. Conf. of Comp. Plasticity*. Fundamentals and Applications.

- Machado, S. L. & Villar, O. M. 1997. Collapse strains and at rest lateral stresses under controlled suction on a lateritic soil. Proc. 14th Int. Conf. on Soil Mechanics and Foundation Engineering, Hamburg, vol. 1, pp. 151-152.
- Mandelbrot, B. B. 1967. How long is the coast of Britain: Statistical self-similarity and fractal dimension, *Science* 155, pp. 636-638.
- Mandelbrot, B. B. 1982. *The fractal geometry of nature*. New York: Freeman.
- Martin, R. T. 1962. Absorbed water on clay: a review. *9th Nat. Conf. on Clays and Clay Minerals*. Pergamon. Oxford, pp. 28-70.
- Mata, C. Romero, E. & Ledesma, A. 2002. Hydro-mechanical effects on water retention in bentonite-sand mixtures. *Proc. 3rd Int. Conf. on Unsaturated Soils, UNSAT2002*, March 2002, Recife, Brazil.
- Mata, C. 2003. *Hydraulic behaviour of bentonite based mixtures in engineered barriers: The backfill and plug test at the Åspö HRL (Sweden)*. PhD Thesis. Universitat Politècnica de Catalunya. Barcelona.
- Matyas, E. L. & Radhakrishna, H. S. 1968. Volume change characteristics of partially saturated soils. *Géotechnique*, 18, n° 4, pp. 432-448.
- Mesri, G. & Hayat, T.M. 1993. The coefficient of earth pressure at rest. *Can. Geotech. J.* Vol. 30, N° 4, pp. 647-666.
- Mitchell, James K., 1993; *Fundamentals of soil behaviour*, Second Edition, John Wiley & Sons.
- Mitchell, James. K. 2003. Up and down soils – a re-examination of swelling phenomena in earth materials. *Soils behaviour and soft ground construction 2003*. pp. 1-24.
- Mont Terri Project. 2000. *19TH Technical Meeting*. Mont Terri. Switzerland.
- Multon, J.-L, Bizot, H. & Martin, G. 1981. Eau (teneur, activité, absorption, propriétés fonctionnelles)-humidités relatives. In: Deymié, B., Multon, J.-L. & Simon, D. (coord.): Techniques d'analyse et de contrôle dans les industries agroalimentaires. *Sciences et Techniques Agro-alimentaires* 4, pp. 1-60. Technique et Documentation. Apria.
- NAGRA. 2001. Short report on technical trials for producing bentonite granulations. *EB Project internal report*.
- NAGRA. 2003. Engineer Barrier Emplacement Experiment in Opalinus Clay (EB). Granular material emplacement QA Report with Emplacement Description. *Deliverable D12*.
- Pearson, F.J., Arcos, D., Bath, A., Boisson, J-Y., Fernandez, A. Gaebler, H.-E., Gaucher, E., Gautschi, A., Griffault, L. Hernan, P., Waber, H.N. 2002. Geochemistry of water in the Opalinus clay formation al the Mont Terri Rock Laboratory – *Synthesis Report*.- (Swiss National Hydrological and Geological Survey, *Geological Report N° 5*).
- Perfect, E. 1999. Estimating soil mass fractal dimensions from water retention curves. *Geoderma* (1999), pp. 221-231.

- Pousada, E. 1984. *Deformabilidad de arcillas expansivas bajo succión controlada*. PhD Thesis. Universidad Politécnica de Madrid, España.
- PRACLAY. 1998. *Caractérisation hydrique des matériaux de l'expérience Praclay*. Contrat n1: 6B031850. J. M. Raport final.
- Push, R., Karnland, O. & Hökmark, H. 1990. GMM – A general microstructural model for qualitative and quantitative studies on smectites clays. *SKB Technical Report* 90-43. pp 94.
- Reseal Project-Phase I. 2000. A large-scale in situ demonstration test for repository sealing in an argillaceous host rock. *Final Project Report*
- Richards, L., A. 1928. The usefulness of capillary potential to soil moisture and plants investigators. *J. Agric. Res.*, vol. 37, pp. 719-742.
- Rodriguez, R. 2002. *Estudio experimental de flujo y transporte de cromo, níquel y manganeso en residuos de la zona minera de Moa (Cuba): Influencia del comportamiento hidromecánico*. PhD. Tesis. Universitat Politècnica de Catalunya. Barcelona. España. <http://www.tdcat.cesca.es/> TDX-0731102-084652.
- Romero, E. 1999. *Characterisation and thermo-hydro-mechanical behaviour of unsaturated Boom-clay: An experimental study*. PhD Thesis, Universitat Politècnica de Catalunya. Barcelona. España. <http://www.tdcat.cesca.es/TDCat-0930102-092135/>
- Romero, E. 2001 Controlled-suction techniques. *4º Simpósio Brasileiro de Solos Não Saturados*. W.Y.Y. Gehling & F. Schnaid (eds). Porto Alegre, Brasil, pp. 535-542.
- Romero, E., Alonso, E. E., Hoffmann, C. 2001. Hydromechanical Characterization of a Bentonite Pellet-based Buffer Material. *6th International Workshop on Key Issues in Waste Isolation Research*. 28 - 30 November 2001.
- Romero, E., Hoffmann, C. & Alonso, E. E. 2003a. Permeability and pore size distribution changes of a bentonite enhanced sand. *13th European Conference on Soil Mechanics and Geotechnical Engineering*. Prague. GEOPROC_2003.
- Romero, E., Hoffmann, C., Castellanos, E, Suriol, J. & Lloret, A. 2003b. Microstructural changes of compacted bentonite induced by hydro-mechanical actions. *Symposium of Large Scale Field Tests in Granite*, Sitges, Barcelona, 2003.
- Romero, E., Hoffmann, C. & Alonso E. E. 2004. Cyclic response of an expansive clayey soil submitted to strong wetting and drying paths. *5º Simposio Brasileiro de Solos Nao Saturados*.
- Sanchez, M., Gens, A., Guimaraes do N. L. & Olivilla, S. 2001. Generalized Plasticity Model for THM Simulations Involving Expansive Clays. *6th International Workshop on Key Sigues on Waste Isolation Research*. Paris, November 2001.
- Schmerrmann, J. H. 1953. Estimating the true consolidation behaviour of clay from laboratory test results. *Proc. ASCE*, 79, Separate 311, pp. 26.

- Seed, H. B., Woodward, R. J. & Lundgren, R. 1962. Prediction of Swelling Potential of Compacted Clays. *Journal of Soil Mechanics and Foundations Division, ASCE*; Vol. 88, N° SM3, pp.53-87.
- Senol, A. 1996. Determination of pre-consolidation pressure. *British Geotech. Society's Young Geotech. Engineers' Symposium*, Oxford University.
- Skempton, A. W. 1953; The Colloidal Activity of Clay, *Proceedings of the 3rd International Conference on Soil Mechanics and Foundation Engineering*, Zurich, Vol. 1, pp. 57-61.
- Sposito, G. & Prost, R. 1982. Structure of water absorbed on smectites. *Chem. Rev.* 82. pp. 554-573.
- Tarantino, A., L. Mongiovì & G. Bosco 2000. An experimental investigation on the independent isotropic stress variables for unsaturated soils. *Géotechnique* 50(3): 275-282.
- Terzaghi, K. 1936. The shear resistance of saturated soils. Proc. *First International Conference on Soil Mechanics & Foundation Engineering*, Cambridge, MA, 1:54-56
- Thevanayagam, S. & Nesserajah, S. 1998. *J. of Geo. and Geoenviromental Eng.* January, pp.53-66.
- Thury, M. & Bossart, P. 1999. *Mont Terri Rock Laboratory: Results of the hydrological, geochemical and geotechnical experiments performed in 1996 and 1997.*
- Valdez-Cepeda, R. D. & Olivares-Sáenz, E. 1998. Geometría fractal en la ciencia del suelo. *Terra* Vol. 16, N° 3, pp. 277-288.
- van Olphen, H. 1977. *An introduction to clay colloid chemistry*. 2d ed. New York: John Wiley and Sons.
- Vaunat, J., Cante, J. C., Ledesma, A. & Gens, A. 2000. A stress point algorithm for an elastoplastic model in unsaturated soils. *International Journal of Plasticity* 16. pp. 121-141.
- Villar, M.V. 2000. *Caracterización termo-hidro-mecánica de una bentonita de Cabo de Gata*. PhD. Tesis, Universidad Complutense, Madrid.
- Yu, B. & Cheng, P. 2001. A fractal permeability model for bi-dispersed porous media. *Int. J. of Heat and Mass Transfer* 45, pp. 2983-2993
- Yu, B. Li, J. Li, Z. & Zou, M. 2003. Permeabilities of unsaturated fractal porous media. *Int. J. of Multiphase Flow* 29, pp. 1625-1642.
- Yuk Gehling, W. Y. 1994. *Suelos expansivos: estudio experimental y aplicación de un modelo teórico*. PhD Tesis. Univesitat Politècnica de Catalunya. Barcelona.
- Woodburn J. A., Holden JC & Peter P. 1993. The Transistor Psychrometer: A New Instrument for Measuring Soil Suction. *Unsaturated Soils. Geotechnical Special Publication No. 39* (ed. S.L. Houston and W.K. Wray), New York: ASCE.

Referencias

Woodburn J. A. & Lucas, B. 1995. New approaches to the Laboratory and Field Measurement of Soil Suction. *Proc. 1st International Conference on Unsaturated Soils*, Unsat '95, Paris, France.