

Usted, estoy seguro, estará de acuerdo conmigo en que si la página 534 está en el capítulo dos, la longitud del primero ha sido realmente intolerable.

SHERLOCK HOLMES (The Valley of Fear)

R

REFERENCIAS

REFERENCIAS

Argyris, J.H., et al. (1971), "A direct modification Procedure for displacement method", AIAA J., 9, No. 9, 1861-1864.

Argyris, J.H., y Roy, J.R. (1972), "General treatment of structural modifications", Proc. ASCE, 98, No. ST2, 462-492.

Arora, J.S., y Haug, E.J. (1979-1980), "Methods of design sensitivity analysis in structural optimization", AIAA J., 17, No. 9, 970-974, y 18, No.11, 1406-1408.

Arora, J.S., y Wu, C.C. (1986), "Design sensitivity analysis of non linear structures", Proc. NATO Conf. Computer Aided Optimal Design, Troia, Portugal, 2, 228-245.

Atrek, E., Gallagher, R.H., Ragsdell, K.M. y Zienkiewicz (1984), New Directions in Optimum Structural Design, John Wiley and Sons, Chichester.

Baldur, R. (1972), "Structural Optimization by inscribed hyperspheres", Proc. ASCE, 98, No. EM3, 503-518.

Banichuk, N.V. (1975), "On a variational problem with unknown boundaries and the determination of optimal shapes of elastic bodies", PMM, 39, No. 6, 1037-1047.

Banichuk, N.V. (1976a), "On a two dimensional optimization problem in elastic bar torsion theory", Soviet Applied Mechanics, 11, No. 5, 38-44.

Banichuk, N.V. (1976b), "Optimization of elastic bars in torsion", Int. J. Solids Struct., 12, 275-286.

Banichuk, N.V. (1977a), "Optimizing hole shape in plates working in bending", Soviet Applied Mechanics, 12, No. 3, 72-78.

Banichuk, N.V. (1977b), "Optimality conditions in the problem of seeking the hole shapes in elastic bodies", PMM, 41, No. 5, 920-925.

Banichuk, N.V. (1984), "Application of perturbation method to optimal design of structures", New Directions in Optimum Structural Design, Cap. 10, John Wiley and Sons, 231-248.

Banichuk, N.V., y Karihaloo, B.L. (1976), "Minimum-weight design of multi-purpose cylindrical bars", Int. J. Solids Struct., 12, 267-273.

Belegundu, A.D. y Arora J.S. (1985a), "A study of mathematical programming methods for structural optimization. Part I: Theory", Int. J. Num. Meth. Engrg., 21, 1583-1599.

Belegundu, A.D. y Arora J.S. (1985b), "A study of mathematical programming methods for structural optimization. Part II: Numerical results", Int. J. Num. Meth. Engrg., 21, 1601-1623.

Bennett, J.A. (1981), "Application of linear constraint approximations to frame structures", Proc. International Symposium on Optimum Structural Design, Tucson, Arizona, 7.9-7.16.

Berke, L. (1970), An efficient approach to the minimum weight design of deflection limited structures, Flight Dynamics Laboratory, Wright-Patterson AFB, Ohio.

Bernoulli, J. (1687), Letter to Leibnitz on beams of uniform strength.

Bertsekas, D. P. (1982), Constrained Optimization and Lagrange Multiplier Methods. Academic Press, New York.

Bhatia, K.G. (1971), Rapid Iterative Reanalysis for Automated Design, NASA TN 6534.

Bhavikatti, S.S., y Ramakrishnan, C.V. (1977), "Optimum design of fillets in flat and round tension bars", ASME Paper 77-DET-45.

Bjorkman, G.S., y Richards, R. (1976), "Harmonic holes-An inverse problem in elasticity", J. Appl. Mech., 43, 414-418.

Bond, D. (1979), "Computer aided design of concrete structures using isoparametric finite elements and non linear optimization", Proc. ICE, 2a. parte, 67, 785-800.

Botkin, M.E. (1982), "Shape optimization of plate and shell structures", AAIA J., 20, No. 2, 268-273.

Box, M.J. (1965), "A new method of constrained optimization and a comparison with other methods", Computer Journal, 8, No. 1, 42-51.

Braibant, V. y Fleury, C. (1985), "Shape optimal design. An approach matching CAD and optimization concepts", Optimization in Computer Aided Design, Ed. J.S. Gero, North-Holland, 231-269.

Braibant, V. y Fleury, C. (1986a), "Sensitivity analysis in shape optimal design", Proc. NATO Conf. Computer Aided Optimal Design, Troia, Portugal, 2, 7-28.

Braibant, V. y Fleury, C. (1986b), "Application of structural synthesis techniques", Proc. NATO Conf. Computer

Aided Optimal Design, Troia, Portugal, 2, 29-53.

Cavendish, J.C., Field, D.A., y Frey, W.H. (1985), "An approach to automatic three-dimensional finite element mesh generation", Int. J. Num. Meth. Engrg., 21, 329-347.

Cea, J. (1971), Optimisation. Theorie et Algorithmes, Dunod, Paris.

Cea, J. (1981a), "Definition of boundaries for shape design", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Cea, J. (1981b), "Solution of a model problem by variational methods and examples of problems of shape optimal design", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Cea, J. (1981c), "Continuous steepest descent in Hilbert space and 'romain spaces'", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Cea, J. (1986), "Conception Optimale ou identification de formes. Calcul rapide de la dérivée directionnelle de la fonction coût", Mathematical Modelling and Numerical Analysis, 20, No.3, 371-402.

Chan, H.S.Y. (1975), "Symmetric plane frameworks of least weight", Proc. IUTAM Symp. Optimization in Structural Design, Warsaw, 1973, Springer-Verlag, Berlin, 313-324.

Chao, N.H., Fenves, S.J., y Westerberg, A.W. (1984), "Application of a reduced quadratic programming technique to optimal structural design" New Directions in Optimum Structural Design, Cap. V, Eds. E. Atek, R.H. Gallagher, K.M. Ragsdell y O.C. Zienkiewicz, John Wiley and Sons, Chichester.

Charnes, A., y Cooper, W.W. (1955), "Such solutions are very little solved", J. ORSA, 3, 345-346.

Chenais, D. (1986), "Optimal design of midsurface of shells. Differentiability proof and sensitivity computation", Laboratoire CNRS 168, preprint No. 107.

Chenais, D., Rousselet B. y Benedict R. (1986), "Design sensitivity for arch structures with respect to midsurface shape under static loading", Laboratoire CNRS 168, preprint No. 57.

Cherkaev, A.V. (1978), "On the question of formulating the problem of optimal design of freely oscillating structures", PMM, 42(1), 194-7.

Chern, J.M., y Prager, W. (1970), "Optimal design of beams for described compliance under alternate loads", JOTA, 5-6, 424.

Cherpanov, G.P. (1974), "Inverse problems of the plane theory of elasticity", PMM, 38(6), 963-79.

Chun, Y.W., y Haug, E.J. (1978), "Two dimensional shape optimal design", Int. J. Num. Meth. Engrg., 13, 311-36.

Chun, Y.W., y Haug, E.J. (1979), "Shape optimal design of an elastic body of revolution", Preprint No. 3516, ASCE Annual Meeting, Boston, Abril.

Clausen, T. (1851), "Column of minimum weight", Bull. Phys-Math. Acad. St Petersburg, Vol 9.

Corcoran, P.J. (1970), "Configurational optimization of structures", Int. J. Mech. Sci., 12, 459-462.

Cox, H. L., y Smith, H. E. (1943), "Structures of minimum weight", Aeronautical Research Council, Reports and Memoranda No.1923, Nov.

Craig, Roy, R., Jr., y Erbug, I.O. (1976), "Application of a gradient-projection method to minimum weight design of a delta wing with static and aeroelastic constraints", Second National Symposium on Computerized Structural Analysis and Design, Washington, D.C.

Dantzig, G.B. (1956), "Note on Klein's direct use of external principles in solving certain problems involving inequalities", J. ORSA, 4, 247-249.

DeSilva, B.M.E. (1969), "Minimum weight design of disks using a frequency constraint", Trans. ASME, J. Engineering for Industry, 18, 1091-1099.

DeSilva, B.M.E., y Grant, G.M.C. (1978), "Comparison of some optimal control methods for the design of turbine blades", Trans. ASME J. of Mechanical Design, 100, 173-182.

Dems, K. (1980), "Multiparameter shape optimization of elastic bars in torsion", Int. J. Num. Meth. Engrg., 15, 1517-1539.

Dems, K., y Mroz, Z. (1978), "Multiparameter structural shape optimization by the finite element method", Int. J. Num. Meth. Engrg., 13, 247-263.

Ding, Y. (1986), "Shape optimization of structures: A literature survey", Comp. and Struc., 24, No. 6, 985-1004.

Distefano, N., y Rath, A. (1975), "A dynamic programming approach to the optimization of elastic trusses", JOTA, 15, No. 1, 13-26.

Dobbs, M.W., y Felton, L.P. (1969), "Optimization of truss geometry", Proc. ASCE, 95, No. ST10, 2105-2118.

Dorn, W.S., Gomory, R.E., y Greenberg, G.J. (1964),

"Automated design of optimal structures", Journal de Mecanique, 3, No. 1, 25-52.

Dow, M., Nakamura, H., y Rozvany, G.I.N. (1982), "Optimal cupolas of uniform strength: Spherical M-shells and axisymmetric T-shells", Ing. Arch., 52, No. 5, 335-353.

Durelli, A.J., y Rajaiah, K. (1979), "Optimum hole shapes in finite plates under uniaxial load", J. Appl. Mech., 46, 691-695.

Esping, B.J.D (1984a), "Minimum weight design of membrane structures", Comp. and Struc., 19, No.5-6, 707-716.

Esping, B.J.D (1984b), "Minimum weight design of membrane structures using eight node isoparametric elements and numerical derivatives", Comp. and Struc., 19, No.4, 591-604.

Esping, B.J.D. (1985), "A CAD approach to the minimum weight design problem", Int. J. Num. Meth. Engrg., 21, 1049-1066.

Fisher, M.L., Northup, W.D., y Shapiro, J.F. (1975), Using Duality to Solve Discrete Optimization Problems: Theory and Computational Experience, Mathematical Programming Study 3, North-Holland, 56-94, (1975)

Fleron, P. (1964), "The minimum weight of trusses", Byggningslæseske Meddelelser, 35, No. 3, 81-96.

Fletcher, R. (1981), Practical Methods of Optimization, Vol. 1 y Vol. 2, John Wiley and Sons, Chichester.

Fleury, C. (1979a), "Structural weight optimization by dual methods of convex programming", Int. J. Num. Meth. Engrg., 14, No. 12, 1761-1783.

Fleury, C. (1979b), "A unified approach to structural weight minimization", Comp. Meth. Appl. Mech. Engrg., 20, No. 1, 17-38.

Fleury, C. (1980), "An efficient optimality criteria approach to the minimum weight design of elastic structures", Comp. and Struc., 11, 163-173

Fleury, C. y Braibant, V. (1986), "Structural optimization: a new dual method using mixed variables", Int. J. Num. Meth. Engrg., 23, 409-428.

Fleury, C. y Sander, G.(1977), "Relations between optimality criteria and mathematical programming in structural optimization", Proc. Symp. on Appl. of Comp. Meth. in Engrg., University of Southern California, 507-520.

Fleury, C. y Sander, G. (1978), Structural Optimization by Finite Elements, LTAS Report SA-58, University of Liege, Belgium.

Fleury, C. y Schmit, L.A. (1980), Dual Methods and Approximation Concepts in Structural Synthesis, NASA CR 3226.

Foulkes, J. (1954), "The minimum weight design of structural frames", Proc. of the Royal Society (London), A223, No.1155, 482-494.

Fox, R.L. (1965), "Constraint surface normals for structural synthesis techniques", AIAA J., 3, 1516-1517.

Fox, R.L. (1971), Optimization Methods for Engineering Design, Addison-Wesley, Massachusetts.

Fox, R.L., y Kapoor, M.P. (1968), "Rates of change of eigenvalues and eigenvectors", AIAA J., 6, 2426-2429.

Fox, R.L., y Miura, H. (1971), "An approximate analysis technique for design calculations", AIAA J., 9, 177-179.

Francavilla, A., Ramakrishnan, C.V., y Zienkiewicz, O.C. (1975), "Optimization of shape to minimize stress concentration", Journal of Strain Analysis, 10, 63-70.

Fu, K.C. (1973), "An application of search technique in truss configurational optimization", Comp. and Struct., 3, 315-328.

Galileo, G. L. (1638), Discorsi e dimonstrazione matematiche intorno a due nuove scienze attenenti alla mecanica et i movimenti locali, Leida.

Gallagher, R. H. (1973), "Fully-stressed design", Optimum Structural Design. Theory and Applications, Eds. R.H. Gallagher y O.C. Zienkiewicz, John Wiley and Sons, 3.

Gallagher, R.H. (1985), "Diseño estructural óptimo. Una reseña", Revista Internacional de Métodos Numéricos para Cálculo y Diseño en Ingeniería, 1, No.1, 3-20.

Gallagher, R. H. y Zienkiewicz, O.C. (1973), Optimum Structural Design. Theory and Applications, John Wiley and Sons, Chichester.

Gellatly, R.A. (1966), Development of Procedure for Large Scale Automated Minimum Weight Structural Design, AFFDL-TR-66-180.

Gellatly, R.A., Gallagher, R.H., y Lubracki, W.A. (1964), Development of a Procedure for Automated Synthesis of Minimum Weight Structures, AFFDL-TDR-TR-64-141.

Gellatly, R.A., y Gallagher, R.H. (1966), "A Procedure for automated minimum weight structural design. Part I-Theoretical basis, Part II-Applications", Aero. Quart., 17, No. 3, 216-230 y No. 4, 332-342.

Gerard, G. (1956), Minimum Weight Analysis of

Compressive Structures, New York University Press, New York.

Griffith, F.E. y Stewart, R.A. (1961), "A non linear programming technique for optimization of continuous Processing systems", Management Science, 7, 379-392..

Gurdal, Z. y Haftka, R.T. (1985), "Design of stiffened composite panels with a fracture constraint", Comp. and Struc., 20, No.1-3, 457-465.

Haftka, R.T. (1973), Automated Procedure for Design of Wing Structures to Satisfy Strength and Flutter Requirements, NASA TM D-7264.

Haftka, R.T., y Starnes, J.H. (1976), "Application of a quadratic extended interior penalty function for structural optimization", AIAA J., 14, No. 6, 718-724.

Haftka, R.T., y Prasad, B. (1978), Programs for analysis and resizing of complex structures. Trends in Computerized Structural Analysis and Synthesis, Pergamon Press, NY, 323-332.

Hamada, M., Seguchi, Y., y Tada, Y. (1980), "Shape determination problems of structures by the inverse variational principle", 2nd Report, Buckling and Vibration Problems, Bulletin of JSME, 23, 1581.

Haney, J.P., Johnson, R.R., y Hicks, R.M. (1979), "Computational optimization and wind tunnel test of transonic wing design", 17th Aerospace Sciences Meeting, New Orleans, AIAA Paper No. 79-0080.

Hou, J.W. (1985), "Techniques and applications of shape optimum design", Comp. and Struc., 20, No.1-3, 467-473.

Haug, E.J., Choi, K.K., Hou, J.W., y Yoo, Y.M. (1984), "A variational method for shape optimal design of elastic structures", New Directions in Optimum Structural Design, Cap. 5, John Wiley and Sons, 105-138.

Haug, J.E., Choi, K.K., Komkov, V. (1986), Design sensitivity analysis of structural systems, Academic Press, Orlando.

Hemp, W.S. (1973), Optimum Structures, Clarendon Press, Oxford.

Hemp, W.S. (1974), "Mitchell framework for uniform load between fixed supports", Eng. Opt., 1, 61-69.

Henry, A.S. (1971), The analytic design of torsion members, Ph.D Thesis, University of Iowa.

Heyman, J. (1951), "Plastic design of beams and frames for minimum material consumption", Quartely of Applied Mathematics, 8, 373-381.

Heyman, J., y Prager, W. (1958), "Automatic minimum weight design of steel frames", Journal of the Franklin Institute, 266, 339-364.

Hicks, R.M., Murman, E.M., y Vanderplaats, G.N. (1974), An Assessment of Airfoil Design by Numerical Optimization, NASA TMX-3092.

Hill, R.D., y Rozvany, G.I.N. (1977), "Optimal beam layouts: The free edge paradox", J. Appl. Mech., 44, 696-700.

Himmelblau, D. M. (1972), Non Linear Programming, McGraw-Hill, New York.

Horak, V. (1969), Inverse Variational Principles of Continuum Mechanics, Vol. 26, Rozpravy, Ceskoslovenske Akad, Ved.

Householder, A.S. (1957), "A survey of some closed methods for inverting matrices", SIAM Journal, 5, No. 3, 155-169.

Huang, N.C. (1968), "Optimal design of elastic structures for maximum stiffness", Int. J. Solids Struct., 4, No. 7, 686.

Huang, N.C. (1971), "On principle of stationary mutual complimentary energy and its application to optimal structural design", ZAMP, 22, 608.

Huang, N.C. (1975), "Minimum weight design of elastic cables", JOTA, 15, 37.

Imai, K., y Schmit, L.A. (1981), "Configuration optimization of trusses", Proc. ASCE, 107, No. ST5, 745-756.

Issler, W. (1964), "Membranschalen Gleicher Festigkeit", Ing. Arch., 33, 330-345.

Karnes, R.N., y Tocher, J.L. (1968), Automated Design of Optimum Hole Reinforcement, Boeing Report D6-23359.

Kavlie, D., y Powell, G.P. (1971), "Efficient reanalysis of modified structures", Proc. ASCE, 97, No. ST1, 377-392.

Kelley, J.E. (1960), "The cutting-plane method for solving convex programs", J. Soc. Appl. Maths., 8, No. 4, 703-712.

Kicher, T.P. (1968), "Structural synthesis of integrally stiffened cylinders", J. Spacecraft and Rockets, 5, 62-67.

Kirsch, U. (1981a), "Approximate structural reanalysis based on series expansion", Comp. Meth. Appl. Mech. Engrg., 26, 205-223.

Kirsch, U. (1981b), "Optimal design of elastic trusses

by approximate equilibrium", Comp. Meth. Appl. Mech. Engrg., 15, 347-359.

Kirsch, U. (1981c), Optimum Structural Design, McGraw-Hill, New York.

Kirsch, U. (1984), "Approximate Behaviour Models for Optimum Structural Design", New Directions in Optimum Structural Design, Cap. 17, John Wiley and Sons, 365-384.

Kirsch, U., y Rubinstein, M.F. (1972a), "Reanalysis for limited structural design modifications", Proc. ASCE, 98, No. EM1, 61-70.

Kirsch, U., y Rubinstein, M.F. (1972b), "Structural reanalysis by iteration", Comp. and Struct., 2, 497-510.

Kirstensen, E.S., y Madsen, N.F. (1976), "On the optimum shape of fillets in plates subjected to multiple in-plane loading cases", Int. J. Num. Meth. Engrg., 10, 1007-1019.

Klein, B. (1955a), "Direct use of extremal principles in solving certain optimization problems involving inequalities", J. ORSA, 3, 168-175.

Klein, B. (1955b), "Further remarks on the direct use of extremal principles in solving certain optimizing problems involving inequalities", J. ORSA, 3, p. 548.

Khot, N.S. (1982), "Optimality criterion methods", Foundations of Structural Optimization: A Unified Approach, John Wiley and Sons, Chichester.

Khot, N.S., y Berke L. (1984), "Structural optimization using optimality criteria methods", New Directions in Optimum Structural Design, Cap. V, Eds. E. Atek, R.H. Gallagher, K.M. Ragsdell y O.C. Zienkiewicz, John Wiley and Sons, Chichester.

Kristensen, E.S., y Madsen, N.F. (1976), "On the optimum shape of fillets in plates subjected to multiple in-plane loading cases", Int. J. Num. Meth. Engrg., 10, 1007-19.

Kuhn, H. W. y Tucker A. W. (1951), "Non linear programming", Proc. 2nd. Berkeley Symp. on Math., Stat. and Prob., University of California Press, Berkeley

Kurshin, L.M., y Onoprienko, P.M. (1976), "Determination of the shapes of doubly-connected bar sections of maximum torsional stiffness", PMM, 40, No. 6, 1020-1026.

Lévy, M. (1875), "La statique graphique et ses applications aux constructions", Comptes Rendu.

Lagrange, J. L. (1770-1773), "Sur la figure des colonnes". Miscellanes Taurinensia, Vol.5.

Lagrange, J. L. (1772), "Sur la force des ressorts

plies", Mem. Acad. Berlin.

Lasdon, L.S. (1970), Optimization Theory for Large Systems, Macmillan, New York.

Leggett, D. M. A., y Hopkins, H. G. (1949), "Sandwich panels and cylinders under compressive end loads", Aeronautical Research Council, Reports and Memoranda No. 2262, Aug.

Lev, O.E. (1977), "Optimum choice of determinate trusses under multiple loads", Proc. ASCE, 103, No. ST2, 391-403.

Lev, O.E. (1978), "Optimum truss geometry for two loading conditions", Proc. ASCE, 104, No. ST8, 1203-1210.

Lev, O.E. (1981a), "Topology and optimality of certain trusses", Proc. ASCE, 107, No. ST2, 383-394.

Lev, O.E. (1981b), Structural Optimization. Recent Developments and applications, ASCE, New York.

Lipson, S.L., y Agrawal, K.M. (1974), "Weight optimization of plane trusses", Proc. ASCE, 100, No. ST5, 865-879.

Lipson, S.L., y Gwin, L.B. (1977a), "Discrete sizing of trusses for optimal geometry", Proc. ASCE, 103, No. ST5, 1031-1046.

Lipson, S.L., y Gwin, L.B. (1977b), "The complex method applied to optimal truss configuration", Comp. and Struct., 7, 1031-1046.

Livesley, R.K. (1956), "The automated design of structural frames", Quart. J. Mech. Appl. Math., 9, 257-278.

Livesley, R.K. (1959), "Optimum design of structural frames for alternative systems of loading", Civil Engineering and Public Works Review, 54, No. 636, 737-740.

Lowe, P.G., y Melchers, R.E. (1972), "On the theory of optimal constant thickness fibre reinforced plates I, II, III", Int. J. Mech. Sci., 14, No. 5, 311-324; (1973), 15, No. 2, 157-170; (1973), 15, No. 9, 711-726, (1972).

Majid, K.I., y Elliott, D.W.C. (1973), "Topological design of pin jointed structures by nonlinear programming", Proc. Inst. Civil Engrs., London, England.

Majid, K.I., y Saka, M.P. (1977), "Optimum shape design of rapidly jointed frames", Proc. Symp. on Appl. of Comp. Meth. in Engrg., University of Southern California.

Malvern, L.E. (1969), Introduction to the Mechanics of a Continuous Medium, Prentice-Hall, New Jersey.

Martin, J.B. (1971), "The optimal design of beams and

frames with compliance constraints", Int. J. Solids Struct., 7, 63.

Martos, B. (1975), Non Linear Programming. Theory and applications, North-Holland, Amsterdam.

Masur, E.F. (1970), "Optimum stiffness and strength of elastic structures", Proc. ASCE, 96, No. EM5, 621.

Maxwell, C. (1890), Scientific Papers, 11, p. 175, Cambridge University Press.

Melosh, R.J., y Luik, R. (1967), Approximate Multiple Configuration Analysis and Allocation for Least Weight Structural Design, AFFDL-TR-67-29.

Michell, A. G. M. (1904), "The limit of economy of material in frames structures". Phil. Mag, 8, 589-97.

Middleton, J. (1979), "Optimal design of torispherical pressure vessel end closures", Engineering Optimization, 4, 129-138.

Middleton, J. y Oñate, E. (1977), "Diseño optimo de vasijas de presion usando el metodo de los elementos finitos y un optimizador no lineal", Revista E.T.S.I.I.T., 2, 309-318.

Miura, H. (1972), "An optimal configuration design of lifting surface type structures under dynamic constraints", Doctoral Theses, Case Western Reserve University.

Miura, H., y Schmit, L.A. (1979), "Second order approximation of natural frequency constraints in structural synthesis", Int. J. Num. Meth. Engrg., 13, 337-352.

Morley, C.T. (1966), "The minimum reinforcement in concrete slabs", Int. J. Mech. Sci., 8, 305-320.

Morris, A. J. (1982), Foundations of Structural Optimization: A Unified Approach, John Wiley and Sons, Chichester.

Morrow, W.M., y Schmit, L.A. (1968), Structural Synthesis of a Stiffened Cylinder, NASA CR-1217.

Moses, F. (1964), "Optimum structural design using linear programming", Proc. ASCE, 90, No. ST6, 89-104.

Nagtegaal, J., y Prager, W. (1973), "Optimal layout of a truss for alternative loads", Int. J. Mech. Sci., 15, 583-592.

Nakamura, H., Dow, M., y Rozvany, G.I.N. (1981), "Optimal spherical cupola of uniform strength. Allowance for self-weight", Inq. Arch., 51, No. 4, 159-182.

Nelson, R.B. (1976), "Simplified calculation of eigenvector derivatives", AIAA J., 14, No. 9, 1201-1205.

Neuber, H. (1969), "Der zugbeanspruchte flachstabl mit optimalem querschnittubergang", Forsch Ingenieurwesen, 35, 29-30.

Neuber, H. (1972), "Zur optimierung der spannungskonzentration", Continuum Mechanics and Related Problems of Analysis, Nauka, Moscow, 375-380.

Noor, A.K., y Lowder, H.E. (1974), "Approximate techniques of structural reanalysis", Comp. and Struct., 4, 801-812.

Noor, A.K., y Lowder, H.E. (1975), "Approximate reanalysis with substructuring", Proc. ASCE, 101, ST8, 1687-1698.

Oda, J., y Yamazaki, K. (1977), "On a technique to obtain an optimum strength shape by the finite element method", Bull. JSME, 20, 160-167.

Olhoff, N., y Rozvany, G.I.N. (1982), "Optimal grillage layout for given natural frequency", Proc. ASCE, 108, No. EM4.

Parbery, R.D., y Karihaloo, B.L. (1977), "Minimum-weight design of hollow cylinders for given lower bounds on torsional and flexural rigidities", Int. J. Solids Struct., 13, 1271-80.

Parent, A. (1708), "Des resistances des poutres, et des poutres de plus grande resistance, independamment de tout systeme physique", Mem. Acad. Roy. Sci. Paris.

Parent, A. (1710), "Des points de la rupture des figures. D'en deduire celles qui sont partout d'une resistance egale", Mem. Acad. Roy. Sci. Paris.

Pearson, C.W. (1958), "Structural design by high speed computing machines", Proc. of the First ASCE Conference on Electronic Computation, New York, 417-436.

Pedersen, P. (1969), "On the minimum mass layout of trusses", Symp. on Struct. Optim., AGARD Conf. Proc., Turkey, No. 36, 11.1-11.18.

Pedersen, P. (1972), "On the optimal layout of multi-purpose trusses", Comp. and Struct., 2.

Pedersen, P. (1973), "Optimum joint positions for space trusses", Proc. ASCE, 99, No. ST12, 2459-2475.

Pedersen, P., y Carsten, L.L. (1981), Design for Minimum Stress concentration by Finite Elements and Linear Programming, Report No. 223, The Danish Center for Applied Mathematics and Mechanics, The Technical University of Denmark, 4.

Phansalkar, S.R. (1974), "Matrix iterative methods for structural reanalysis", Comp. and Struct., 4, 779-800.

Pironneau, O. (1982), "Optimal shape design for elliptic systems", Proc. of the 10th. IFIP conf. on System Modelling

and Optimization, Springer Verlag, New York.

Pironneau, O. (1984), Optimal shape design for elliptic systems, Springer Verlag, New York.

Pope, G.G., y Schmit, L.A. (Eds.) (1971), Structural Design Applications of Mathematical Programming Techniques, AGARDograph, No. 149.

Prager, W. (1956), "Minimum weight design of a portal frame", Proc. of ASCE, 82, No. EM4.

Prager, W. (1974), Introduction to Structural Optimization, Springer-Verlag, Vienna.

Prager, W., y Rozvany, G.I.N. (1977a), "Optimization of structural geometry", Proc. Conf. Dynamical Systems, A.R. Bednarek y L. Cesari (Eds.), Academic Press, New York, 265-294.

Prager, W., y Rozvany, G.I.N. (1977b), "Optimal layout of grillages", J. Struct. Mech., 5, 1-18.

Prager, W., y Rozvany, G.I.N. (1980), "Optimal spherical cupola of uniform strength", Ing. Arch., 49, 287-294.

Prager, W., y Shield, R.T. (1967), "A general theory of optimal plastic design", J. Appl. Mech., 35, No. 1, 184-186.

Prager, W., y Taylor, J.E. (1968), "Problems of optimal structural design", J. Appl. Mech., 35, No. 1, 102-106.

Prasad, B. (1985), "An integrated system for optimal structural synthesis and remodelling", Comp. and Struc., 20, No.5, 827-839.

Queau, I.P., y Trompette, P.H. (1980), "Two dimensional shape optimal design by the finite element method", Int. J. Num. Meth. Engrg., 15, 2269-2274.

Queau, J.P., y Trompette, P.H. (1981), "Optimal shape design of turbine and compressor blades", International Symposium on Optimum Structural Design, University of Arizona, Tucson, Arizona.

Queber, H. (1972), "Zur optimierung der spannungskonzentration", Continuum Mechanics and Related Problems of Analysis, Nauka, Moscow, 375-380.

Ragsdell, K.M. (1984), "The utility of non linear programming methods for engineering design", New Directions in Optimum Structural Design, Cap. V, Eds. E. Atek, R.H. Gallagher, K.M. Ragsdell y O.C. Zienkiewicz, John Wiley and Sons, Chichester.

Ramakrishnan, C.V. y Campbell, J.S. (1973), "Automated design of structural shape", Int. Conf. on Comp. Aided Design in Civil Engrg., Univ. Aston, Birmingham.

Ramakrishnan, C.V., y Francavilla, A. (1975), "Structural shape optimization using penalty functions", J. Struct. Mech., 3(4), 403-432.

Reinschmidt, K.F., y Russel, A.D. (1974), "Applications of linear programming in structural layout and optimization", Comp. and Struct., 4, 855-869.

Ricketts, R.E. y Zienkiewicz O.C. (1984), "Shape optimization of continuum structures" New Directions in Optimum Structural Design, Cap. V, Eds. E. Atek, R.H. Gallagher, K.M. Ragsdell y O.C. Zienkiewicz, John Wiley and Sons, Chichester.

Rousselet, B. (1981), "Implementation of shape optimal design algorithms", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Rousselet, B. (1986), "Principes d'Analyse de sensibilité. Utilisation pour la conception optimale", Rapports de Recherche INRIA, Rocquencourt, No.521.

Rousselet, B. (1987), "Shape design sensitivity from partial differential equation to implementation", Eng. Opt., preprint. (en espera de publicación)

Rousselet, B., y Haug, E.J. (1981), "Design sensitivity analysis in structural mechanics III: Shape variation", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Rozvany, G.I.N. (1976), Optimization of Flexural Systems, Pergamon Press, Oxford.

Rozvany, G.I.N. (1981a), "A general theory of optimal structural layouts", Proc. International Symposium on Optimum Structural Design, University of Arizona, Tucson, Arizona, 4.37-45.

Rozvany, G.I.N. (1981b), "Optimality criteria for grids, shells and arches", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn, 112-151.

Rozvany, G.I.N. (1981c), "Variational methods and optimality criteria", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn, 82-111.

Rozvany, G.I.N. (1984), "Structural layout theory-The present state of knowledge", New Directions in Optimum Structural Design, Cap. 7, John Wiley and Sons, 167-196.

Rozvany, G.I.N., y Adidam, S. (1972), "Rectangular grillages of least weight", Proc. ASCE, 98, 1337-1352.

Rozvany, G.I.N., y Hill, R.D. (1976), "General theory of

optimal load transmission by flexure", Advances in Appl. Mech., 16, 183-308.

Rozvany, G.I.N., y Hill, R.D. (1978), "Optimal plastic design: Superposition principles and bounds on the minimum cost", Comp. Meth. Appl. Meth. Engrg., 13, 151-174.

Rozvany, G.I.N., Nakamura, H., y Kuhnell, B.T. (1980), "Optimal archgrids: Allowance for self-weight", Comp. Meth. Appl. Mech. Engrg., 24, 287-304.

Rozvany, G.I.N., Olhoff, N., Cheng, K.T., y Taylor, J.E. (1982), "On the solid plate paradox in structural optimization", J. Struct. Mech., 10, 1-32.

Rozvany, G.I.N., y Prager (1979), W., "A new class of optimization problems: Optimal archgrids", Comp. Meth. Appl. Mech. Engrg., 19, 127-150.

Rozvany, G.I.N., Wang, C.M., y Dow, M. (1982), "Prager-Structures: Arch-grids and cable networks of optimal layout", Comp. Meth. Appl. Mech. Engrg., 31.

Ryu, Y.S. Haririan, M., Wu, C.C. y Arora, J.S. (1985), "Structural design sensitivity analysis of non linear response", 5th Conference for Nonlinear Finite Element Analysis and ADINA,

Sack, R.L., Carpenter, W.C., y Hatch, C.L. (1967), "Modification of elements in displacement method", AIAA J., 5, No. 8, 1708-1710.

Sadek, E.A. (1984), "Dynamic optimization of a sandwich beam", Comp. and Struc., 19, No.4, 605-615.

Saka, M.P. (1980), "Shape optimization of trusses", Proc. ASCE, 106, No. ST5, 1155-1174.

Sawaragi Y., Nakayama H. y Tanino T. (1985), Theory of Multiobjective Optimization, Academic Press, Orlando.

Scales, L. E. (1985), Introduction to Non Linear Optimization, Springer-Verlag, New York.

Schmit, L.A. (1960), "Structural design by systematic synthesis", Proc. of the Second ASCE Conference on Electronic Computation, Pittsburgh, Pennsylvania, 105-122.

Schmit, L.A. (1971a), "Structural synthesis 1959-1969, a decade of progress", Proc. Japan-U.S. Seminar on Matrix Methods of Structural Analysis and Design, University of Alabama Press.

Schmit, L.A. (1971b), "Literature review and assessment of the present position", Structural Design Applications of Mathematical Programming Techniques, Chapter 4, G.G. Pope y L.A. Schmit (Eds.), AGARDograph No. 149, AG-149-71.

Schmit, L.A., y Farshi, B. (1974), "Some approximation

concepts for structural synthesis", AIAA J., 12, No. 5, 692-699.

Schmit, L.A., y Fleury, C. (1980a), "Structural synthesis by combining approximation concepts and dual methods", AIAA J., 18, 1252-1260.

Schmit, L.A., y Fleury, C. (1980b), "Discrete-continuous variable structural synthesis using dual methods", AIAA J., 18, 1515-1524.

Schmit, L.A., y Fox, R.L. (1964), Synthesis of a Simple Shock Insulator, NASA CR-55.

Schmit, L.A., Kicher, T.P., y Morrow, W.M. (1963), "Structural synthesis capability for integrally stiffened waffle plates", AIAA J., 1, 2820-2836.

Schmit, L.A., y Miura, H. (1976a), Approximation Concepts for Efficient Structural Synthesis, NASA CR-2552.

Schmit, L.A., y Miura, H. (1976b), "A new structural analysis/synthesis capability-ACCESS 1", AIAA J., 14, 661-671.

Schmit, L.A., y Miura, H. (1978), "An advanced structural analysis/synthesis capability-ACCESS 2", Int. J. Num. Meth. Engrg., 12, 353-377.

Schmit, L.A., y Thornton, W.A. (1965), Synthesis of an Airfoil at Supersonic Mach Number, NASA CR-144.

Schmit Jr., L.A. (1984), "Structural optimization. Some key ideas and insights", New Directions in Optimum Structural Design, Cap. I, Eds. E. Atek, R.H. Gallagher, K.M. Ragsdell y O. Zienkiewicz. John Wiley and Sons, Chichester.

Schnak, E. (1979), "An optimization Procedure for stress concentration by the finite element technique", Int. J. Num. Meth. Engrg., 13, 115-124.

Schrem, E. (1976), "From program systems to programming systems for finite element analysis", Paper presented at U.S.-Germany Symposium: Formulations and Computational Methods in Finite Element Analysis, MIT, Boston, MA, Agosto.

Seguchi, Y., y Tada, Y. (1977-1978), "Shape determination problems of structures by inverse variational principle. The finite element formulation", Acta Technica CSAV, 24, No. 2, (1979) y Proc. Symp. on Appl. of Comp. Meth. in Engrg., L.C. Wellford, Jr. (Ed.), Vol. II, p. 899, University of Southern California.

Shanley, F.R. (1952), Weight Strength Analysis of Aircraft Structures, McGraw-Hill, New York.

Sharpe, R. (1969), "Optimum design of arch dams", Proc. ICE, Paper 72005, Suppl. Vol., 73-89.

Sheppard, K.H., y Palmer, A.C. (1972), "Optimal design of transmission tower by dynamic programming", Comp. and Struct., 2, 455-468.

Sheu, C.Y., y Prager, W. (1968), "Recent developments in optimal structural design", Applied Mechanics Reviews, 21, No. 10, 985-992.

Sheu, C.Y., y Schmit, L.A. (1972), "Minimum weight design of elastic redundant trusses under multiple static loading conditions", AIAA J., 10, No. 2, 155-162.

Shield, R.T., y Prager, W. (1970), "Optimal structural design for given deflection", Zamp, 21, 513.

Smith, G.K. y Woodhead R.C. (1973), "An optimal design scheme with application to tanker transverse structures", Int. Symp. Optimization in Civil Engrg., University of Liverpool.

Sobieszczanski-Sobieski, J. (1969), "Matrix algorithm for structural modification based on parallel element concept", AIAA J., 7, No. 11, 2132-2139.

Sobieszczanski-Sobieski, J. (1975), "Building a computer aided design capability using a standard time share operating system", Proc. of the ASME Winter Annual Meeting, Integrated Design and Analysis of Aerospace Structures, Houston, TX, 93-112, Nov.30-Dic.5.

Sobieszczanski-Sobieski, J. (1979), "An integrated computer Procedure for sizing composite airframe structures", NASA TP-1300, Febrero.

Sobieszczanski-Sobieski, J. (1982), "From a 'Black Box' to a programming system", Foundations of Structural Optimization: A Unified Approach, Cap. 11, John Wiley and Sons.

Sobieszczanski-Sobieski, J., Barthelemy, J.F., y Riley, K.M. (1981), Sensitivity of Optimum Design Solutions to Problem Parameters, Preprint Vol. I, AIAA Paper 81-0548, 22nd Structures, Structural Dynamics and Materials Conference, Atlanta, Georgia, 184-205.

Sobieszczanski-Sobieski, J., y Bhat, R.B. (1979), "Adaptable structural synthesis using advanced analysis and optimization coupled by a computer operating system", AIAA Paper No. 79-0723, AIAA/ASME/ASCE/AHS 20th Structures, Structural Dynamics and Materials Conference. A Collection of Technical Papers on Structures, St. Louis, MO, Abril 4-6.

Sobieszczanski-Sobieski, J., y Bhat, R.B. (1981), "Adaptable structural synthesis using advanced analysis and optimization coupled by a computer operating system", J. of Aircraft, 18, No. 2, 142-149.

Song, J.O., y Lee, R.E. (1981), "Application of optimization to aircraft engine disk synthesis", International

Symposium on Optimum Structural Design, University of Arizona, Tucson, Arizona.

Spillers, W.R. (1975a), "Interactive design for optimal geometry", Proc. ASCE, 101, No. ST7, 1435-1442.

Spillers, W.R. (1975b), Iterative Structural Design, North-Holland, Amsterdam, The Netherlands.

Spillers, W.R., y Kountouris, G.E. (1980), "Geometric optimization using simple code representation", Proc. ASCE, 106, No. ST5, 959-972.

Starnes, J.H., y Haftka, R.T. (1978), "Preliminary design of composite wings for buckling, strength and displacement constraints", Proc., AIAA/ASME 19th Structures, Structural Dynamics and Material Conference, Bethesda, Maryland, 1-13.

Strang, G., y Kohn, R. (1981), "Optimal design of cylinders in shear", MAFELAP Conf., Brunel University.

Strang, G., y Kohn, R. (1983), "Hencky-Prandtl nets and constrained Michell trusses", Comp. Meth. in Appl. Mech. Engrg., 36, No. 2, 207-222, Feb.

Stroud, W.J., y Sykes, N.P. (1969), "Minimum weight stiffened shells with slight meridional curvature designed to support axial compressive loads", AIAA J., 7, 1599-1601.

Sussman, T. y Bathe K.J. (1985), "The gradient of the finite element variational indicator with respect to nodal point co-ordinates: an explicit calculation and applications in fracture mechanics and mesh optimization", Int. J. Num. Meth. Engrg., 21, 763-774.

Tada, Y., y Seguchi, Y. (1984), "Shape determination of structures based on the inverse variational principle. The finite element approach", New Directions in Optimum Structural Design, Cap. 8, John Wiley and Sons, 197-210.

Tai, T.C., Kidwell, G.H., y Vanderplaats, G.N. (1982), "Numerical optimization of circulation control airfoils", J. Aircraft, 19, No. 2, 145-150.

Taylor, J.E. (1969), "Optimal design of structural systems: An energy formulation", AIAA J., 7, 1404.

Thornton, W.A., y Schmit, L.A. (1968), The Structural Synthesis of an Ablating Thermostructural Panel, NASA CR-1215.

Tocher, J.L., y Karnes, R.N. (1971), "The impact of automated structural optimization on actual design", AIAA/ASME 12th Conf. on Structures, Structural Dynamics and Materials, Paper No. 71-371, Anaheim, California.

Tripplett, W.E. (1979), "Aeroelastic tailoring studies in fighter aircraft design", AIAA Paper No. 79-0725,

AIAA/ASME/ASCE/AHS 20th Structures, Structural Dynamics and Materials Conference. A Collection of Technical Papers on Structures, St. Louis, MO, 72-8, April 4-6.

Tsuta, T., y Yamaji, S. (1977), "Finite element analysis of thick-walled structures by using Legendre function and its shape optimization", Proc. Symp. on Appl. of Comp. Meth. in Engrg., Vol. 11, L.C. Wellford (Ed.), University of Southern California, p. 859.

Turvitch, E.L. (1976), "On isoparametric problems for domains with partly known boundaries", JOTA, 20(1), 65-79.

Tvergaard, V. (1975), "On the optimum shape of a fillet in a flat bar with restrictions", Optimization in Structural Design, Eds. Sawczuk y Mroz, Springer-Verlag, New York.

Umetani, Y., y Hirai, S. (1975), "An adaptive shape optimization method for structural material using the growing-reforming Procedure", JSME Papers, Joint JSME/ASME Applied Mechanics Western Conference, Honolulu, Hawaii, p. 359.

Van Den Dam, R.F., Boerstoel, J.W. y Daniels, H.A.M. (1986), "Optimization in design Process: an informatics point of view", Int. J. Num. Meth. Engrg., 22, 433-450.

Vanderplaats, G.N. (1975), Design of Structures for Optimum Geometry, NASA TMX-62464.

Vanderplaats, G.N. (1976), "The computer design and optimization", Computing in Applied Mechanics, (R.F. Hartung, Ed.), AMD-vol. 18, American Society of Mech. Eng., 25-48.

Vanderplaats, G.N. (1979a), "An efficient algorithm for numerical airfoil optimization", AIAA Paper No. 79-0079, Presented at 17th AIAA Aerospace Sciences Meeting, New Orleans, LA, Enero, 15-17.

Vanderplaats, G.N. (1979b), "An efficient algorithm for numerical airfoil optimization", J. Aircraft, 16, No. 12, 842-847.

Vanderplaats, G.N. (1980), "Comment on methods of design sensitivity analysis in structural optimization", AIAA J., 17, 1406-1407.

Vanderplaats, G.N. (1984), "Numerical methods for shape optimization: An assessment of the state of the art", New Directions in Optimum Structural Design, Cap. V, Eds. E. Atek, R.H. Gallagher, K.M. Ragsdell y O.C. Zienkiewicz, John Wiley and Sons, Chichester.

Vanderplaats, G.N., y Moses, F. (1972), "Automated design of trusses for optimum geometry", Proc. ASCE, ST3, 671-690.

Vanderplaats, G.N., y Moses, F. (1973), "Structural

optimization by methods of feasible directions", Comp. Struct., 3, No. 4, 739-755.

Venkayya, V.B., Khot, N.S., y Reddy, V.S. (1969), Energy Distribution in an Optimum Structural Design, Flight Dynamics Laboratory, Wright-Patterson AFB, Ohio.

Venkayya, V.B., Khot, N.S., Tischler, V.A., y Taylor, R.F. (1971), "Design of optimum structures for dynamic loads", 3rd. Conf. Matrix Meth. Struct. Mech. Wright-Patterson AFB, Ohio, 619-658.

Vitiello, E. (1973), "Shape optimization using mathematical programming and modelling techniques", 2nd. Symp. on Struct. Optim., AGARD Conf. Proc., Milan

Wagner, H. (1929), "Remarks on airplane struts and girders under compressive and bending stresses, index values", N.A.C.A. Tech. Mem., No. 500.

Wang, B.P., y Pilkey, W.D. (1981), "Parametrization in finite element analysis", Proc. International Symposium on Optimum Structural Design, Tucson, Arizona, F.1-F.F.

Wang, S., Sun, Y. y Gallagher, R.H. (1985), "Sensitivity analysis in shape optimization of continuum structures", Comp. and Struc., 20, No.5, 855-867.

Wheeler, L. (1976), "On the role of constant-stress surfaces in the problem of minimizing elastic stress concentration", Int. J. Solids Struct., 12, 779-89.

Wittrick, W. H. (1945), "A theoretical analysis of the efficiency of sandwich construction under compressive end load", Aeronautical Research Council, Reports and Memoranda No. 2016, April.

Zahorski A. (1944), "Effects of material distribution on strength of panels", J. of Aero. Sci., 11(3), 247-53.

Ziegler, H. (1958), "Kuppeln Gleicher Fstigkeit", Ing. Arch., 26, 378-382.

Zienkiewicz, O.C., y Campbell, J.S. (1973), "Shape optimization and sequential linear programming", Optimum Structural Design, Eds. R.H. Gallagher y O.C. Zienkiewicz, John Wiley and Sons, N.Y., 109-26.

Zolesio, J.P. (1981a), "The material derivative (or speed) method for shape optimization", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Zolesio, J.P. (1981b), "Speed method in several examples", Optimization of Distributed Parameter Structures, Eds. E.J. Haug y J. Cea, Sijthoff-Noordhoff, Alphen aan den Rijn.

Zoutendijk, G. (1960), Methods of Feasible Directions,
Elsevier, Amsterdam.