

	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	I1_350_700_700_140	4	4	1.00	0.5	35.00	0.2	41.34	0.12	-0.12	-1.23	21.39	24.27
4		9	2.25	15.56									
4		14	3.50	10.00									
4		15	3.75	9.33									
5		9	1.80	15.56		41.80		0.12	-0.11	-1.20	22.71	21.46	5.81
5		14	2.80	10.00									
5		15	3.00	9.33									
6		9	1.50	15.56									
6		14	2.33	10.00		45.57		0.19	-0.18	-0.97	20.61	18.87	9.25
6		15	2.50	9.33									
7		9	1.29	15.56									
7		14	2.00	10.00									
7		15	2.14	9.33		50.90		0.29	-0.30	-0.62	19.00	16.67	13.94
8		9	1.13	15.56									
8		14	1.75	10.00									
8		15	1.88	9.33									
9		9	1.00	15.56		55.88		0.39	-0.44	-0.38	17.27	14.90	15.90
9		14	1.56	10.00									
9	15	1.67	9.33										
9	14	1.56	10.00										
9	15	1.67	9.33	59.21	0.47	-0.57	-0.18	15.96	13.48	18.43			
9	14	1.56	10.00										
9	15	1.67	9.33										
9	15	1.67	9.33										
I2_350_700_700_160	4	4	1.00	0.5	40.00	0.23	41.34	0.12	-0.12	-1.23	22.43	27.32	-17.91
	4	9	2.25		17.78								
	4	14	3.50		11.43								
	4	15	3.75		10.67								
	5	9	1.80		17.78		41.80	0.12	-0.11	-1.20	23.69	24.14	-1.87
	5	14	2.80		11.43								
	5	15	3.00		10.67								
	6	9	1.50		17.78								
	6	14	2.33		11.43		45.57	0.19	-0.18	-0.97	21.54	21.16	1.79
	6	15	2.50		10.67								
	7	9	1.29		17.78								
	7	14	2.00		11.43								
	7	15	2.14		10.67		50.90	0.29	-0.30	-0.62	19.72	18.62	5.91
	8	9	1.13		17.78								
	8	14	1.75		11.43								
	8	15	1.88		10.67								
	9	9	1.00		17.78		55.88	0.39	-0.44	-0.38	17.87	16.54	8.01
	9	14	1.56		11.43								
9	15	1.67	10.67										
9	14	1.56	11.43										
9	15	1.67	10.67	59.21	0.47	-0.57	-0.18	16.50	14.89	10.88			
9	14	1.56	11.43										
9	15	1.67	10.67										
9	15	1.67	10.67										
I3_350_700_700_245	4	4	1.00	0.5	61.25	0.35	41.34	0.12	-0.12	-1.23	25.22	30.04	-16.04
	4	9	2.25		27.22								
	4	14	3.50		17.50								
	4	15	3.75		16.33								
	5	9	1.80		27.22		41.80	0.12	-0.11	-1.20	26.35	27.10	-2.77
	5	14	2.80		17.50								
	5	15	3.00		16.33								
	6	9	1.50		27.22								
	6	14	2.33		17.50		45.57	0.19	-0.18	-0.97	24.15	23.89	1.08
	6	15	2.50		16.33								
	7	9	1.29		27.22								
	7	14	2.00		17.50								
	7	15	2.14		16.33		50.90	0.29	-0.30	-0.62	21.65	20.68	4.69
	8	9	1.13		27.22								
	8	14	1.75		17.50								
	8	15	1.88		16.33								
	9	9	1.00		27.22		55.88	0.39	-0.44	-0.38	19.24	17.75	8.40
	9	14	1.56		17.50								
9	15	1.67	16.33										
9	14	1.56	17.50										
9	15	1.67	16.33	59.21	0.47	-0.57	-0.18	17.48	15.24	14.68			
9	14	1.56	17.50										
9	15	1.67	16.33										
9	15	1.67	16.33										
I4_350_700_700_315	4	4	1.00	0.5	78.75	0.45	41.34	0.12	-0.12	-1.23	26.93	30.42	-11.47
	4	9	2.25		35.00								
	4	14	3.50		22.50								
	4	15	3.75		21.00								
	5	9	1.80		35.00		41.80	0.12	-0.11	-1.20	27.99	27.89	0.38
	5	14	2.80		22.50								
	5	15	3.00		21.00								
	6	9	1.50		35.00								
	6	14	2.33		22.50		45.57	0.19	-0.18	-0.97	25.87	24.74	4.58
	6	15	2.50		21.00								
	7	9	1.29		35.00								
	7	14	2.00		22.50								
	7	15	2.14		21.00		50.90	0.29	-0.30	-0.62	22.94	21.15	8.47
	8	9	1.13		35.00								
	8	14	1.75		22.50								
	8	15	1.88		21.00								
	9	9	1.00		35.00		55.88	0.39	-0.44	-0.38	20.02	17.61	13.68
	9	14	1.56		22.50								
9	15	1.67	21.00										
9	14	1.56	22.50										
9	15	1.67	21.00	59.21	0.47	-0.57	-0.18	17.77	14.56	22.02			
9	14	1.56	22.50										
9	15	1.67	21.00										
9	15	1.67	21.00										

J1_400_800_800_160	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.5	40.00	0.2	41.34	0.12	-0.12	-1.23	19.54	24.24	-19.38
	4	9	2.25		17.78						24.83	28.26	-12.16
	4	14	3.50		11.43						25.46	28.72	-11.35
	4	15	3.75		10.67						21.04	21.48	-2.06
	5	9	1.80		17.78		41.80	0.12	-0.11	-1.20	25.81	26.59	-2.97
	5	14	2.80		11.43		10.67	26.38	27.21	-3.07			
	5	15	3.00		10.67		17.78	18.76	18.93	-0.94			
	6	9	1.50		17.78		45.57	0.19	-0.18	-0.97	24.06	24.74	-2.78
	6	14	2.33		11.43		10.67	24.69	25.52	-3.23			
	6	15	2.50		10.67		17.78	15.44	15.03	2.73			
	7	9	1.29		17.78		50.90	0.29	-0.30	-0.62	17.19	16.77	2.46
	7	14	2.00		11.43		10.67	22.36	22.81	-1.98			
	7	15	2.14		10.67		17.78	22.98	23.70	-3.04			
	8	9	1.13		17.78		55.88	0.39	-0.44	-0.38	15.44	15.03	2.73
	8	14	1.75		11.43		10.67	20.66	20.91	-1.20			
8	15	1.88	10.67		17.78		21.29	21.87	-2.66				
9	9	1.00	17.78	59.21	0.47	-0.57	-0.18	14.28	13.64	4.68			
9	14	1.56	11.43	10.67	19.09	19.13	-0.20						
9	15	1.67	10.67	17.78	19.67	20.10	-2.14						
J2_400_800_800_185	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.5	46.25	0.23	41.34	0.12	-0.12	-1.23	20.48	27.33	-25.05
	4	9	2.25		20.56						25.63	32.07	-20.09
	4	14	3.50		13.21						26.25	32.63	-19.56
	4	15	3.75		12.33						21.92	24.22	-9.48
	5	9	1.80		20.56		41.80	0.12	-0.11	-1.20	26.58	30.14	-11.80
	5	14	2.80		13.21		12.33	27.14	30.88	-12.11			
	5	15	3.00		12.33		20.56	19.51	21.30	-8.37			
	6	9	1.50		20.56		45.57	0.19	-0.18	-0.97	24.87	28.03	-11.29
	6	14	2.33		13.21		12.33	25.51	28.93	-11.84			
	6	15	2.50		12.33		20.56	17.64	21.40	-17.58			
	7	9	1.29		20.56		50.90	0.29	-0.30	-0.62	23.13	25.85	-10.53
	7	14	2.00		13.21		12.33	23.79	26.88	-11.52			
	7	15	2.14		12.33		20.56	15.70	16.72	-6.06			
	8	9	1.13		20.56		55.88	0.39	-0.44	-0.38	21.42	23.69	-9.58
	8	14	1.75		13.21		12.33	21.42	23.69	-9.58			
8	15	1.88	12.33		20.56		22.11	24.81	-10.88				
9	9	1.00	20.56	59.21	0.47	-0.57	-0.18	14.45	15.07	-4.11			
9	14	1.56	13.21	12.33	19.88	21.66	-8.22						
9	15	1.67	12.33	20.56	20.53	22.80	-9.96						
J3_400_800_800_280	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.5	70.00	0.35	41.34	0.12	-0.12	-1.23	23.59	29.94	-21.19
	4	9	2.25		31.11						28.25	33.65	-16.06
	4	14	3.50		20.00						28.80	34.12	-15.58
	4	15	3.75		18.67						24.85	27.04	-8.08
	5	9	1.80		31.11		41.80	0.12	-0.11	-1.20	29.12	32.17	-9.48
	5	14	2.80		20.00		18.67	29.63	32.73	-9.47			
	5	15	3.00		18.67		31.11	22.26	23.88	-6.76			
	6	9	1.50		31.11		45.57	0.19	-0.18	-0.97	27.65	30.61	-9.65
	6	14	2.33		20.00		18.67	28.30	31.28	-9.54			
	6	15	2.50		18.67		31.11	19.41	20.70	-6.25			
	7	9	1.29		31.11		50.90	0.29	-0.30	-0.62	25.82	28.77	-10.26
	7	14	2.00		20.00		18.67	26.59	29.69	-10.46			
	7	15	2.14		18.67		31.11	16.67	17.79	-6.32			
	8	9	1.13		31.11		55.88	0.39	-0.44	-0.38	24.03	26.72	-10.07
	8	14	1.75		20.00		18.67	24.91	27.84	-10.51			
8	15	1.88	18.67		31.11		14.82	15.29	-3.09				
9	9	1.00	31.11	59.21	0.47	-0.57	-0.18	22.43	24.58	-8.74			
9	14	1.56	20.00	18.67	23.34	25.86	-9.74						
9	15	1.67	18.67	31.11	23.34	25.86	-9.74						
J4_400_800_800_360	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.5	90.00	0.45	41.34	0.12	-0.12	-1.23	25.39	30.30	-16.20
	4	9	2.25		40.00						29.79	33.84	-11.98
	4	14	3.50		25.71						30.31	34.31	-11.65
	4	15	3.75		24.00						26.57	27.80	-4.43
	5	9	1.80		40.00		41.80	0.12	-0.11	-1.20	30.63	32.46	-5.63
	5	14	2.80		25.71		24.00	31.12	33.01	-5.73			
	5	15	3.00		24.00		40.00	23.97	24.70	-2.97			
	6	9	1.50		40.00		45.57	0.19	-0.18	-0.97	29.40	31.02	-5.21
	6	14	2.33		25.71		24.00	30.05	31.67	-5.11			
	6	15	2.50		24.00		40.00	20.47	21.16	-3.26			
	7	9	1.29		40.00		50.90	0.29	-0.30	-0.62	27.52	29.44	-6.51
	7	14	2.00		25.71		24.00	28.37	30.25	-6.20			
	7	15	2.14		24.00		40.00	17.01	17.65	-3.60			
	8	9	1.13		40.00		55.88	0.39	-0.44	-0.38	25.61	27.62	-7.28
	8	14	1.75		25.71		24.00	26.64	28.65	-7.03			
8	15	1.88	24.00		40.00		14.49	14.60	-0.75				
9	9	1.00	40.00	59.21	0.47	-0.57	-0.18	23.84	25.53	-6.60			
9	14	1.56	25.71	24.00	24.96	26.82	-6.94						
9	15	1.67	24.00	40.00	24.96	26.82	-6.94						

	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	A1_630_700_700_140	4	4	1.00	0.1	35.00	0.2	14.03	0.00	-0.01	-1.49	12.31	14.16
4		9	2.25	15.56									
4		14	3.50	10.00									
4		15	3.75	9.33									
5		9	1.80	15.56		14.09		0.00	0.00	-1.46	13.38	13.49	-0.79
5		14	2.80	10.00									
5		15	3.00	9.33									
6		9	1.50	15.56		13.55		0.00	0.00	-1.41	13.85	12.79	8.36
6		14	2.33	10.00									
6		15	2.50	9.33									
7		9	1.29	15.56		12.48		0.00	0.03	-1.37	15.99	12.10	32.22
7		14	2.00	10.00									
7		15	2.14	9.33									
8		9	1.13	15.56		11.90		0.02	0.05	-1.27	17.33	11.45	51.38
8		14	1.75	10.00									
8		15	1.88	9.33									
9		9	1.00	15.56		12.57		0.06	0.05	-1.08	15.56	10.87	43.16
9		14	1.56	10.00									
9	15	1.67	9.33										
A2_630_700_700_160	4	4	1.00	0.1	40.00	0.23	14.03	0.00	-0.01	-1.49	12.43	14.36	-13.42
	4	9	2.25		17.78								
	4	14	3.50		11.43								
	4	15	3.75		10.67								
	5	9	1.80		17.78		14.09	0.00	0.00	-1.46	13.43	13.75	-2.30
	5	14	2.80		11.43								
	5	15	3.00		10.67								
	6	9	1.50		17.78		13.55	0.00	0.00	-1.41	13.84	13.09	5.68
	6	14	2.33		11.43								
	6	15	2.50		10.67								
	7	9	1.29		17.78		12.48	0.00	0.03	-1.37	15.80	12.44	27.01
	7	14	2.00		11.43								
	7	15	2.14		10.67								
	8	9	1.13		17.78		11.90	0.02	0.05	-1.27	17.11	11.81	44.90
	8	14	1.75		11.43								
	8	15	1.88		10.67								
	9	9	1.00		17.78		12.57	0.06	0.05	-1.08	15.58	11.23	38.72
	9	14	1.56		11.43								
9	15	1.67	10.67										
A3_630_700_700_245	4	4	1.00	0.1	61.25	0.35	14.03	0.00	-0.01	-1.49	12.72	14.89	-14.59
	4	9	2.25		27.22								
	4	14	3.50		17.50								
	4	15	3.75		16.33								
	5	9	1.80		27.22		14.09	0.00	0.00	-1.46	13.55	14.41	-5.98
	5	14	2.80		17.50								
	5	15	3.00		16.33								
	6	9	1.50		27.22		13.55	0.00	0.00	-1.41	13.81	13.88	-0.56
	6	14	2.33		17.50								
	6	15	2.50		16.33								
	7	9	1.29		27.22		12.48	0.00	0.03	-1.37	15.35	13.32	15.23
	7	14	2.00		17.50								
	7	15	2.14		16.33								
	8	9	1.13		27.22		11.90	0.02	0.05	-1.27	16.63	12.73	30.64
	8	14	1.75		17.50								
	8	15	1.88		16.33								
	9	9	1.00		27.22		12.57	0.06	0.05	-1.08	15.76	12.13	29.90
	9	14	1.56		17.50								
9	15	1.67	16.33										
A4_630_700_700_315	4	4	1.00	0.1	78.75	0.45	14.03	0.00	-0.01	-1.49	12.87	15.08	-14.67
	4	9	2.25		35.00								
	4	14	3.50		22.50								
	4	15	3.75		21.00								
	5	9	1.80		35.00		14.09	0.00	0.00	-1.46	13.62	14.66	-7.13
	5	14	2.80		22.50								
	5	15	3.00		21.00								
	6	9	1.50		35.00		13.55	0.00	0.00	-1.41	13.79	14.19	-2.81
	6	14	2.33		22.50								
	6	15	2.50		21.00								
	7	9	1.29		35.00		12.48	0.00	0.03	-1.37	15.10	13.68	10.42
	7	14	2.00		22.50								
	7	15	2.14		21.00								
	8	9	1.13		35.00		11.90	0.02	0.05	-1.27	16.36	13.12	24.72
	8	14	1.75		22.50								
	8	15	1.88		21.00								
	9	9	1.00		35.00		12.57	0.06	0.05	-1.08	15.85	12.45	27.36
	9	14	1.56		22.50								
9	15	1.67	21.00										

	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %		
	B1_720_800_800_160	4	4	1.00	0.1	40.00	0.2	14.03	0.00	-0.01	-1.49				
4		9	2.25	17.78					12.07	14.37	-16.06				
4		14	3.50	11.43					12.77	15.17	-15.81				
4		15	3.75	10.67					12.86	15.26	-15.75				
5		9	1.80	17.78					14.09	0.00	0.00	-1.46	13.29	13.77	-3.47
5		14	2.80	11.43					13.54	14.83	-8.67				
5		15	3.00	10.67					13.58	14.95	-9.18				
6		9	1.50	17.78					13.55	0.00	0.00	-1.41	13.91	13.13	5.97
6		14	2.33	11.43					13.74	14.46	-4.96				
6		15	2.50	10.67					13.72	14.61	-6.07				
7		9	1.29	17.78					12.48	0.00	0.03	-1.37	16.50	12.48	32.18
7		14	2.00	11.43					15.05	14.07	6.98				
7		15	2.14	10.67					14.88	14.25	4.38				
8		9	1.13	17.78					11.90	0.02	0.05	-1.27	18.15	11.87	52.99
8		14	1.75	11.43					15.81	13.65	15.82				
8		15	1.88	10.67					15.53	13.87	11.99				
9	9	1.00	17.78			12.57	0.06	0.05	-1.08	16.14	11.30	42.89			
9	14	1.56	11.43			14.47	13.22	9.49							
9	15	1.67	10.67			14.27	13.47	5.99							
B2_720_800_800_185	4	4	1.00	0.1	46.25	0.23	14.03	0.00	-0.01	-1.49					
	4	9	2.25		20.56				12.18	14.37	-15.24				
	4	14	3.50		13.21				12.85	15.17	-15.31				
	4	15	3.75		12.33				12.93	15.26	-15.29				
	5	9	1.80		20.56				14.09	0.00	0.00	-1.46	13.34	13.77	-3.12
	5	14	2.80		13.21				13.58	14.83	-8.44				
	5	15	3.00		12.33				13.61	14.95	-8.97				
	6	9	1.50		20.56				13.55	0.00	0.00	-1.41	13.90	13.13	5.86
	6	14	2.33		13.21				13.74	14.46	-5.00				
	6	15	2.50		12.33				13.72	14.61	-6.11				
	7	9	1.29		20.56				12.48	0.00	0.03	-1.37	16.32	12.48	30.75
	7	14	2.00		13.21				14.94	14.07	6.17				
	7	15	2.14		12.33				14.77	14.25	3.64				
	8	9	1.13		20.56				11.90	0.02	0.05	-1.27	17.97	11.87	51.45
	8	14	1.75		13.21				15.70	13.65	15.03				
	8	15	1.88		12.33				15.43	13.87	11.28				
9	9	1.00	20.56			12.57	0.06	0.05	-1.08	16.21	11.30	43.48			
9	14	1.56	13.21			14.55	13.22	10.06							
9	15	1.67	12.33			14.35	13.47	6.56							
B3_720_800_800_280	4	4	1.00	0.1	70.00	0.35	14.03	0.00	-0.01	-1.49					
	4	9	2.25		31.11				12.53	14.89	-15.84				
	4	14	3.50		20.00				13.07	15.49	-15.64				
	4	15	3.75		18.67				13.13	15.56	-15.59				
	5	9	1.80		31.11				14.09	0.00	0.00	-1.46	13.48	14.42	-6.47
	5	14	2.80		20.00				13.68	15.24	-10.22				
	5	15	3.00		18.67				13.70	15.33	-10.59				
	6	9	1.50		31.11				13.55	0.00	0.00	-1.41	13.85	13.89	-0.28
	6	14	2.33		20.00				13.72	14.96	-8.26				
	6	15	2.50		18.67				13.70	15.07	-9.06				
	7	9	1.29		31.11				12.48	0.00	0.03	-1.37	15.76	13.33	18.24
	7	14	2.00		20.00				14.58	14.65	-0.48				
	7	15	2.14		18.67				14.44	14.79	-2.40				
	8	9	1.13		31.11				11.90	0.02	0.05	-1.27	17.34	12.75	36.01
	8	14	1.75		20.00				15.32	14.32	7.00				
	8	15	1.88		18.67				15.08	14.49	4.07				
9	9	1.00	31.11			12.57	0.06	0.05	-1.08	16.31	12.15	34.28			
9	14	1.56	20.00			14.72	13.97	5.34							
9	15	1.67	18.67			14.53	14.17	2.48							
B4_720_800_800_360	4	4	1.00	0.1	90.00	0.45	14.03	0.00	-0.01	-1.49					
	4	9	2.25		40.00				12.70	15.08	-15.74				
	4	14	3.50		25.71				13.18	15.61	-15.59				
	4	15	3.75		24.00				13.24	15.67	-15.55				
	5	9	1.80		40.00				14.09	0.00	0.00	-1.46	13.56	14.66	-7.53
	5	14	2.80		25.71				13.73	15.39	-10.78				
	5	15	3.00		24.00				13.75	15.47	-11.11				
	6	9	1.50		40.00				13.55	0.00	0.00	-1.41	13.83	14.19	-2.54
	6	14	2.33		25.71				13.71	15.15	-9.46				
	6	15	2.50		24.00				13.70	15.25	-10.16				
	7	9	1.29		40.00				12.48	0.00	0.03	-1.37	15.48	13.68	13.13
	7	14	2.00		25.71				14.40	14.88	-3.23				
	7	15	2.14		24.00				14.27	15.00	-4.90				
	8	9	1.13		40.00				11.90	0.02	0.05	-1.27	17.02	13.13	29.63
	8	14	1.75		25.71				15.13	14.59	3.74				
	8	15	1.88		24.00				14.91	14.74	1.12				
9	9	1.00	40.00			12.57	0.06	0.05	-1.08	16.40	12.46	31.60			
9	14	1.56	25.71			14.83	14.28	3.89							
9	15	1.67	24.00			14.64	14.46	1.28							

E1_490_700_700_140	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.3	35.00	0.2	27.69	0.06	-0.06	-1.36	16.57	18.24	-9.20
	4	9	2.25		15.56								
	4	14	3.50		10.00								
	4	15	3.75		9.33								
	5	9	1.80		15.56		27.94	0.06	-0.06	-1.33	17.78	16.85	5.48
	5	14	2.80		10.00								
	5	15	3.00		9.33								
	6	9	1.50		15.56								
	6	14	2.33		10.00								
	6	15	2.50		9.33								
	7	9	1.29		15.56		31.69	0.15	-0.14	-0.99	14.35	14.32	0.27
	7	14	2.00		10.00								
	7	15	2.14		9.33								
	8	9	1.13		15.56								
	8	14	1.75		10.00								
8	15	1.88	9.33										
9	9	1.00	15.56	35.89	0.26	-0.26	-0.63	12.35	12.32	0.25			
9	14	1.56	10.00										
9	15	1.67	9.33										
9	15	1.67	9.33								16.80	16.09	4.42
E2_490_700_700_160	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.3	40.00	0.23	27.69	0.06	-0.06	-1.36	17.24	18.59	-7.24
	4	9	2.25		17.78								
	4	14	3.50		11.43								
	4	15	3.75		10.67								
	5	9	1.80		17.78		27.94	0.06	-0.06	-1.33	18.38	17.28	6.37
	5	14	2.80		11.43								
	5	15	3.00		10.67								
	6	9	1.50		17.78								
	6	14	2.33		11.43								
	6	15	2.50		10.67								
	7	9	1.29		17.78		31.69	0.15	-0.14	-0.99	14.93	14.82	0.73
	7	14	2.00		11.43								
	7	15	2.14		10.67								
	8	9	1.13		17.78								
	8	14	1.75		11.43								
8	15	1.88	10.67										
9	9	1.00	17.78	35.89	0.26	-0.26	-0.63	12.72	12.82	-0.80			
9	14	1.56	11.43										
9	15	1.67	10.67										
9	15	1.67	10.67								17.38	16.65	4.38
E3_490_700_700_245	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.3	61.25	0.35	27.69	0.06	-0.06	-1.36	18.96	19.72	-3.87
	4	9	2.25		27.22								
	4	14	3.50		17.50								
	4	15	3.75		16.33								
	5	9	1.80		27.22		27.94	0.06	-0.06	-1.33	19.95	18.59	7.29
	5	14	2.80		17.50								
	5	15	3.00		16.33								
	6	9	1.50		27.22								
	6	14	2.33		17.50								
	6	15	2.50		16.33								
	7	9	1.29		27.22		31.69	0.15	-0.14	-0.99	16.47	16.18	1.79
	7	14	2.00		17.50								
	7	15	2.14		16.33								
	8	9	1.13		27.22								
	8	14	1.75		17.50								
8	15	1.88	16.33										
9	9	1.00	27.22	35.89	0.26	-0.26	-0.63	13.53	13.82	-2.12			
9	14	1.56	17.50										
9	15	1.67	16.33										
9	15	1.67	16.33								19.00	18.11	4.90
E4_490_700_700_315	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.3	78.75	0.45	27.69	0.06	-0.06	-1.36	19.94	20.02	-0.37
	4	9	2.25		35.00								
	4	14	3.50		22.50								
	4	15	3.75		21.00								
	5	9	1.80		35.00		27.94	0.06	-0.06	-1.33	20.86	19.00	9.80
	5	14	2.80		22.50								
	5	15	3.00		21.00								
	6	9	1.50		35.00								
	6	14	2.33		22.50								
	6	15	2.50		21.00								
	7	9	1.29		35.00		31.69	0.15	-0.14	-0.99	17.47	16.65	4.92
	7	14	2.00		22.50								
	7	15	2.14		21.00								
	8	9	1.13		35.00								
	8	14	1.75		22.50								
8	15	1.88	21.00										
9	9	1.00	35.00	35.89	0.26	-0.26	-0.63	14.06	13.95	0.75			
9	14	1.56	22.50										
9	15	1.67	21.00										
9	15	1.67	21.00								20.06	18.65	7.60

	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	C1_525_700_700_140	4	4	1.00	0.25	35.00	0.2	24.27	0.04	-0.05	-1.39	15.43	16.76
4		9	2.25	15.56		18.01						18.42	-2.23
4		14	3.50	10.00		18.32						18.62	-1.61
4		15	3.75	9.33									
5		9	1.80	15.56		24.48		0.05	-0.04	-1.36	16.61	15.62	6.32
5		14	2.80	10.00		18.77		17.70	6.02				
5		15	3.00	9.33		19.03		17.95	5.99				
6		9	1.50	15.56		25.56		0.07	-0.06	-1.25	15.29	14.51	5.40
6		14	2.33	10.00		17.93		16.95	5.80				
6		15	2.50	9.33		18.25		17.26	5.77				
7		9	1.29	15.56		26.89		0.11	-0.10	-1.09	13.78	13.49	2.13
7		14	2.00	10.00		16.88		16.16	4.43				
7		15	2.14	9.33		17.25		16.52	4.43				
8		9	1.13	15.56		28.39		0.15	-0.14	-0.94	12.56	12.59	-0.23
8		14	1.75	10.00		15.98		15.37	3.97				
8		15	1.88	9.33		16.39		15.77	3.95				
9		9	1.00	15.56		30.06		0.21	-0.18	-0.74	11.98	11.79	1.59
9		14	1.56	10.00		15.33		14.59	5.11				
9	15	1.67	9.33	15.74	15.01	4.81							
C2_525_700_700_160	4	4	1.00	0.25	40.00	0.23	24.27	0.04	-0.05	-1.39	15.99	17.63	-9.34
	4	9	2.25		17.78						18.42	19.33	-4.73
	4	14	3.50		11.43						18.71	19.54	-4.25
	4	15	3.75		10.67								
	5	9	1.80		17.78		24.48	0.05	-0.04	-1.36	17.09	16.48	3.70
	5	14	2.80		11.43		19.14	18.62	2.78				
	5	15	3.00		10.67		19.38	18.88	2.69				
	6	9	1.50		17.78		25.56	0.07	-0.06	-1.25	15.82	15.35	3.10
	6	14	2.33		11.43		18.36	17.87	2.74				
	6	15	2.50		10.67		18.66	18.18	2.66				
	7	9	1.29		17.78		26.89	0.11	-0.10	-1.09	14.29	14.29	0.01
	7	14	2.00		11.43		17.33	17.08	1.48				
	7	15	2.14		10.67		17.70	17.45	1.45				
	8	9	1.13		17.78		28.39	0.15	-0.14	-0.94	13.02	13.34	-2.38
	8	14	1.75		11.43		16.45	16.28	1.03				
	8	15	1.88		10.67		16.86	16.69	1.01				
	9	9	1.00		17.78		30.06	0.21	-0.18	-0.74	12.34	12.49	-1.24
	9	14	1.56		11.43		15.79	15.49	1.97				
9	15	1.67	10.67	16.21	15.93	1.73							
C3_525_700_700_245	4	4	1.00	0.25	61.25	0.35	24.27	0.04	-0.05	-1.39	17.39	18.65	-6.75
	4	9	2.25		27.22						19.46	20.01	-2.72
	4	14	3.50		17.50						19.71	20.18	-2.30
	4	15	3.75		16.33								
	5	9	1.80		27.22		24.48	0.05	-0.04	-1.36	18.34	17.69	3.68
	5	14	2.80		17.50		20.10	19.45	3.37				
	5	15	3.00		16.33		20.32	19.65	3.36				
	6	9	1.50		27.22		25.56	0.07	-0.06	-1.25	17.20	16.65	3.31
	6	14	2.33		17.50		19.50	18.86	3.44				
	6	15	2.50		16.33		19.78	19.11	3.53				
	7	9	1.29		27.22		26.89	0.11	-0.10	-1.09	15.63	15.58	0.35
	7	14	2.00		17.50		18.59	18.23	2.00				
	7	15	2.14		16.33		18.94	18.53	2.25				
	8	9	1.13		27.22		28.39	0.15	-0.14	-0.94	14.22	14.52	-2.05
	8	14	1.75		17.50		17.76	17.56	1.17				
	8	15	1.88		16.33		18.19	17.91	1.53				
	9	9	1.00		27.22		30.06	0.21	-0.18	-0.74	13.21	13.49	-2.12
	9	14	1.56		17.50		17.09	16.86	1.36				
9	15	1.67	16.33	17.55	17.27	1.64							
C4_525_700_700_315	4	4	1.00	0.25	78.75	0.45	24.27	0.04	-0.05	-1.39	18.18	18.93	-3.96
	4	9	2.25		35.00						20.06	20.21	-0.73
	4	14	3.50		22.50						20.29	20.37	-0.41
	4	15	3.75		21.00								
	5	9	1.80		35.00		24.48	0.05	-0.04	-1.36	19.05	18.08	5.40
	5	14	2.80		22.50		20.66	19.70	4.87				
	5	15	3.00		21.00		20.86	19.90	4.81				
	6	9	1.50		35.00		25.56	0.07	-0.06	-1.25	18.03	17.13	5.28
	6	14	2.33		22.50		20.20	19.18	5.33				
	6	15	2.50		21.00		20.46	19.41	5.41				
	7	9	1.29		35.00		26.89	0.11	-0.10	-1.09	16.49	16.08	2.58
	7	14	2.00		22.50		19.38	18.62	4.12				
	7	15	2.14		21.00		19.73	18.89	4.43				
	8	9	1.13		35.00		28.39	0.15	-0.14	-0.94	15.02	14.92	0.68
	8	14	1.75		22.50		18.62	18.02	3.32				
	8	15	1.88		21.00		19.05	18.35	3.83				
	9	9	1.00		35.00		30.06	0.21	-0.18	-0.74	13.80	13.69	0.74
	9	14	1.56		22.50		17.93	17.38	3.16				
9	15	1.67	21.00	18.43	17.77	3.71							

D1_600_800_800_160	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.25	40.00	0.2	24.27	0.04	-0.05	-1.39	14.39	16.74	-13.99
	4	9	2.25		17.78								
	4	14	3.50		11.43								
	4	15	3.75		10.67								
	5	9	1.80		17.78		24.48	0.05	-0.04	-1.36	15.74	15.62	0.80
	5	14	2.80		11.43								
	5	15	3.00		10.67								
	6	9	1.50		17.78		25.56	0.07	-0.06	-1.25	14.24	14.53	-1.99
	6	14	2.33		11.43								
	6	15	2.50		10.67								
	7	9	1.29		17.78		26.89	0.11	-0.10	-1.09	12.54	13.53	-7.30
	7	14	2.00		11.43								
	7	15	2.14		10.67								
	8	9	1.13		17.78		28.39	0.15	-0.14	-0.94	11.19	12.64	-11.49
	8	14	1.75		11.43								
8	15	1.88	10.67										
9	9	1.00	17.78	30.06	0.21	-0.18	-0.74	10.64	11.87	-10.35			
9	14	1.56	11.43										
9	15	1.67	10.67										
D2_600_800_800_185	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.25	46.25	0.23	24.27	0.04	-0.05	-1.39	14.92	16.48	-9.47
	4	9	2.25		20.56								
	4	14	3.50		13.21								
	4	15	3.75		12.33								
	5	9	1.80		20.56		24.48	0.05	-0.04	-1.36	16.20	16.50	-1.82
	5	14	2.80		13.21								
	5	15	3.00		12.33								
	6	9	1.50		20.56		25.56	0.07	-0.06	-1.25	14.72	15.39	-4.37
	6	14	2.33		13.21								
	6	15	2.50		12.33								
	7	9	1.29		20.56		26.89	0.11	-0.10	-1.09	12.96	14.35	-9.69
	7	14	2.00		13.21								
	7	15	2.14		12.33								
	8	9	1.13		20.56		28.39	0.15	-0.14	-0.94	11.52	13.41	-14.13
	8	14	1.75		13.21								
8	15	1.88	12.33										
9	9	1.00	20.56	30.06	0.21	-0.18	-0.74	10.82	12.58	-13.97			
9	14	1.56	13.21										
9	15	1.67	12.33										
D3_600_800_800_280	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.25	70.00	0.35	24.27	0.04	-0.05	-1.39	16.56	18.61	-11.05
	4	9	2.25		31.11								
	4	14	3.50		20.00								
	4	15	3.75		18.67								
	5	9	1.80		31.11		24.48	0.05	-0.04	-1.36	17.63	17.67	-0.18
	5	14	2.80		20.00								
	5	15	3.00		18.67								
	6	9	1.50		31.11		25.56	0.07	-0.06	-1.25	16.28	16.64	-2.15
	6	14	2.33		20.00								
	6	15	2.50		18.67								
	7	9	1.29		31.11		26.89	0.11	-0.10	-1.09	14.45	15.58	-7.24
	7	14	2.00		20.00								
	7	15	2.14		18.67								
	8	9	1.13		31.11		28.39	0.15	-0.14	-0.94	12.80	14.53	-11.87
	8	14	1.75		20.00								
8	15	1.88	18.67										
9	9	1.00	31.11	30.06	0.21	-0.18	-0.74	11.66	13.51	-13.74			
9	14	1.56	20.00										
9	15	1.67	18.67										
D4_600_800_800_360	tw	tf	tf/tw	tgφ	λf	η	c1	c2	c3	c4	kss Tipologia II (calculada)	kss Tipologia II	Diff %
	4	4	1.00	0.25	90.00	0.45	24.27	0.04	-0.05	-1.39	17.43	18.88	-7.71
	4	9	2.25		40.00								
	4	14	3.50		25.71								
	4	15	3.75		24.00								
	5	9	1.80		40.00		24.48	0.05	-0.04	-1.36	18.41	18.04	2.05
	5	14	2.80		25.71								
	5	15	3.00		24.00								
	6	9	1.50		40.00		25.56	0.07	-0.06	-1.25	17.17	17.10	0.39
	6	14	2.33		25.71								
	6	15	2.50		24.00								
	7	9	1.29		40.00		26.89	0.11	-0.10	-1.09	15.33	16.06	-4.52
	7	14	2.00		25.71								
	7	15	2.14		24.00								
	8	9	1.13		40.00		28.39	0.15	-0.14	-0.94	13.58	14.92	-8.95
	8	14	1.75		25.71								
8	15	1.88	24.00										
9	9	1.00	40.00	30.06	0.21	-0.18	-0.74	12.14	13.71	-11.42			
9	14	1.56	25.71										
9	15	1.67	24.00										

