



Biblioteca del Campus del Baix Llobregat
UNIVERSITAT POLITÈCNICA DE CATALUNYA



ENGINY20

Biblioteca del Campus del Baix Llobregat

Informe bibliomètric bimestral.

Two decorative dashed lines, one blue and one black, that curve across the page.

Maig-juny 2018

Informe bibliomètric bimestral Campus Baix Llobregat. Base de dades Scopus. Maig-juny 2018¹

EETAC

Arriaga, J., Falqués, A., [Ribas, F.](#), & Crews, E. (2018). Formation events of shoreline sand waves on a gravel beach. *Ocean Dynamics*, 68(6), 735-748. doi: [10.1007/s10236-018-1157-5](https://doi.org/10.1007/s10236-018-1157-5)

[Barrière, L.](#), Muñoz, X., Fuchs, J., & Unger, W. (2018). Online matching in regular bipartite graphs. *Parallel Processing Letters*, 28(2) doi: [10.1142/S0129626418500081](https://doi.org/10.1142/S0129626418500081)

[Belmonte, A.](#), & Kahn, J. M. (2018). Approaching fundamental limits to free-space communication through atmospheric turbulence. Paper presented at the *Proceedings of SPIE - the International Society for Optical Engineering*, 10559 doi: [10.1117/12.2299623](https://doi.org/10.1117/12.2299623)

[Boza, S.](#), & Soria, J. (2018). Weak-type boundedness of the fourier transform on rearrangement invariant function spaces. *Proceedings of the Edinburgh Mathematical Society*, 1-12. doi: [10.1017/S0013091518000032](https://doi.org/10.1017/S0013091518000032)

Camargo-Forero, L., [Royo, P.](#), & [Prats, X.](#) (2018). Towards high performance robotic computing. *Robotics and Autonomous Systems*, 107, 167-181. doi: [10.1016/j.robot.2018.05.011](https://doi.org/10.1016/j.robot.2018.05.011)

Carrizo, C. E., Calvo, R. M., & [Belmonte, A.](#) (2018). Intensity-based adaptive optics with sequential optimization for laser communications. *Optics Express*, 26(13), 16044-16053. doi: [10.1364/OE.26.016044](https://doi.org/10.1364/OE.26.016044)



¹ Articles obtinguts a la base de dades Scopus. Data de la cerca 04/07/2018

- Comerón, A., [Rodríguez-Gómez, A.](#), Sicard, M., Barragán, R., [Muñoz-Porcar, C.](#), Rocabosch, F., & Granados-Muñoz, M. J. (2018). Considerations about the determination of the depolarization calibration profile of a two-telescope lidar and its implications for volume depolarization ratio retrieval. *Sensors (Switzerland)*, 18(6) doi: [10.3390/s18061807](#)
- Farràs, O., Kaced, T., [Martín, S.](#), & Padró, C. (2018). *Improving the linear programming technique in the search for lower bounds in secret sharing* doi: [10.1007/978-3-319-78381-9_22](#)
- Fazio, E., Speciale, A., [Spadaro, S.](#), Bonsignore, M., Cimino, F., Cristani, M., Trombetta, D., Saija, A., & Neri, F. (2018). Evaluation of biological response induced by molybdenum oxide nanocolloids on in vitro cultured NIH/3T3 fibroblast cells by micro-raman spectroscopy. *Colloids and Surfaces B: Biointerfaces*, 170, 233-241. doi: [10.1016/j.colsurfb.2018.06.028](#)
- Fernandez-Prades, C., [Vila-Valls, J.](#), Arribas, J., & Ramos, A. (2018). Continuous reproducibility in GNSS signal processing. *IEEE Access*, 6, 20451-20463. doi: [10.1109/ACCESS.2018.2822835](#)
- Ghezzi, M. K., Doria-Cerezo, A., & [Olm, J. M.](#) (2018). Yaw moment MRAC with optimal torque vectoring for a four in-wheel motor EV. Paper presented at the *Proceedings of the IEEE International Conference on Industrial Technology, 2018-February* 1820-1825. doi: [10.1109/ICIT.2018.8352460](#)
- Ichishima, R., [López, S.](#), Muntaner-Batle, F. A., & Oshima, A. (2018). On the beta-number of forests with isomorphic components. *Discussiones Mathematicae - Graph Theory*, 38(3), 683-701. doi: [10.7151/dmgt.2033](#)
- Jackson, C., Kondepu, K., Ou, Y., Beldachi, A., Cruz, A. P., Agraz, F., Moscatelli, F., Miao, W., Kamchevska, V., Calabretta, N., Landi, G., [Spadaro, S.](#), Nejabati, R., & Simeonidou, D. (2018). COSIGN: A complete SDN enabled all-optical architecture for data centre virtualisation with time and space multiplexing. Paper presented at the *European*



Conference on Optical Communication, ECOC, 2017-September 1-3.

doi: [10.1109/ECOC.2017.8346191](https://doi.org/10.1109/ECOC.2017.8346191)

Joud, M., [Garcia-Lozano, M.](#), & [Ruiz, S.](#) (2018). User specific cell clustering to improve mobility robustness in 5G ultra-dense cellular networks. Paper presented at the *2018 14th Annual Conference on Wireless on-Demand Network Systems and Services, WONS 2018 - Proceedings, 2018-January* 45-50. doi: [10.23919/WONS.2018.8311661](https://doi.org/10.23919/WONS.2018.8311661)

Llorens-Carrodegas, A., [Cervello-Pastor, C.](#), Leyva-Pupo, I., Lopez-Soler, J. M., Navarro-Ortiz, J., & Exposito-Arenas, J. A. (2018). An architecture for the 5G control plane based on SDN and data distribution service. Paper presented at the *2018 5th International Conference on Software Defined Systems, SDS 2018*, 105-111.

doi: [10.1109/SDS.2018.8370430](https://doi.org/10.1109/SDS.2018.8370430)

[López-Lapeña, O.](#), & [Pallas-Areny, R.](#) (2018). Solar energy radiation measurement with a low-power solar energy harvester. *Computers and Electronics in Agriculture*, *151*, 150-155. doi: [10.1016/j.compag.2018.06.011](https://doi.org/10.1016/j.compag.2018.06.011)

Mesodiakaki, A., [Zola, E.](#), Santos, R., & Kassler, A. (2018). Optimal user association, backhaul routing and switching off in 5G heterogeneous networks with mesh millimeter wave backhaul links. *Ad Hoc Networks*, *78*, 99-114. doi: [10.1016/j.adhoc.2018.05.008](https://doi.org/10.1016/j.adhoc.2018.05.008)

[Muñoz-Porcar, C.](#), Comeron, A., Sicard, M., Barragan, R., [Garcia-Vizcaino, D.](#), [Rodríguez-Gómez, A.](#), & Rocabenbosch, F. (2018). Diffuse sunlight based calibration of the water vapor channel in the upc raman lidar. Paper presented at the *EPJ Web of Conferences*, *176* doi: [10.1051/epjconf/201817605035](https://doi.org/10.1051/epjconf/201817605035)

Nasim, R., [Zola, E.](#), & Kassler, A. J. (2018). Robust optimization for energy-efficient virtual machine consolidation in modern datacenters. *Cluster Computing*, 1-29.

doi: [10.1007/s10586-018-2718-6](https://doi.org/10.1007/s10586-018-2718-6)

Ochoa, D. A., [Suñol, F.](#), Rubio-Marcos, F., & García, J. E. (2018). Enhancement of piezoelectric properties stability of submicron-structured piezoceramics obtained by



spark plasma sintering. *Journal of the European Ceramic*

Society, doi: [10.1016/j.jeurceramsoc.2018.06.016](https://doi.org/10.1016/j.jeurceramsoc.2018.06.016)

Ochoa-Aday, L., [Cervelló-Pastor, C.](#), Fernández-Fernández, A., & Grosso, P. (2018). An online algorithm for dynamic NFV placement in cloud-based autonomous response networks. *Symmetry*, 10(5) doi: [10.3390/sym10050163](https://doi.org/10.3390/sym10050163)



Pitta, S., de la Mora Carles, V., Roure, F., [Crespo, D.](#), & [Rojas, J. I.](#) (2018). On the static strength of aluminium and carbon fibre aircraft lap joint repairs. *Composite Structures*, 201, 276-290. doi: [10.1016/j.compstruct.2018.06.002](https://doi.org/10.1016/j.compstruct.2018.06.002)

Proestakis, E., Amiridis, V., Kottas, M., Marinou, E., Binietoglou, I., Ansmann, A., [Muñoz-Porcar, C.](#), Pappalardo, G. (2018). Earlinet validation of CATS L2 product. Paper presented at the *EPJ Web of Conferences*, 176doi: [10.1051/epjconf/201817602005](https://doi.org/10.1051/epjconf/201817602005)

Repecho, V., Biel, D., [Olm, J. M.](#), & Fossas, E. (2018). Robust sliding mode control of a DC/DC boost converter with switching frequency regulation. *Journal of the Franklin Institute*, doi: [10.1016/j.jfranklin.2018.05.028](https://doi.org/10.1016/j.jfranklin.2018.05.028)

[Reverter, F.](#) (2018). Interfacing sensors to microcontrollers: A direct approach. *Smart sensors and MEMS: Intelligent sensing devices and microsystems for industrial applications: Second edition* (pp. 23-55) doi: [10.1016/B978-0-08-102055-5.00002-4](https://doi.org/10.1016/B978-0-08-102055-5.00002-4)

[Rodríguez-Gómez, A.](#), Sicard, M., [Muñoz-Porcar, C.](#), Barragán, R., Comerón, A., Rocadenbosch, F., & Vidal, E. (2018). Depolarization channel for barcelona lidar. implementation and preliminary measurements. Paper presented at the *EPJ Web of Conferences*, 176 doi: [10.1051/epjconf/201817601029](https://doi.org/10.1051/epjconf/201817601029)



Rumipamba-Zambrano, R., Moreno-Muro, F., Perelló, J., Pavón-Mariño, P., & [Spadaro, S.](#) (2018). Space continuity constraint in dynamic flex-Grid/SDM optical core networks: An evaluation with spatial and spectral super-channels. *Computer Communications*, 126, 38-49. doi: [10.1016/j.comcom.2018.05.013](https://doi.org/10.1016/j.comcom.2018.05.013)

Rumipamba-Zambrano, R., Perelló, J., Gené, J. M., & [Spadaro, S.](#) (2018). On the scalability of dynamic flex-Grid/SDM optical core networks. *Computer Networks*, 142, 208-222. doi: [10.1016/j.comnet.2018.06.009](#)

Rumipamba-Zambrano, R., Perello, J., & [Spadaro, S.](#) (2018). Route, modulation format, MIMO and spectrum assignment in flex-Grid/MCF transparent optical core networks. *Journal of Lightwave Technology*, doi: [10.1109/JLT.2018.2848199](#)

Santoyo-González, A., & [Cervelló-Pastor, C.](#) (2018). Latency-aware cost optimization of the service infrastructure placement in 5G networks. *Journal of Network and Computer Applications*, 114, 29-37. doi: [10.1016/j.jnca.2018.04.007](#)



Tarrago, M., Garcia-Valles, M., Martinez, S., Pradell, T., & [Bruna, P.](#) (2018). Fe in P-doped basaltic melts: A mössbauer spectroscopy study. *Materials Letters*, 228, 57-60. doi: [10.1016/j.matlet.2018.05.018](#)

[Vilardaga, S.](#), [Prats, X.](#), Duan, P., & De Haag, M. U. (2018). Conflict-free trajectory optimization with target tracking and conformance monitoring. *Journal of Aircraft*, 55(3), 1252-1260. doi: [10.2514/1.C034251](#)

[Vila-Valls, J.](#), Fernandez-Prades, C., Arribas, J., Curran, J. T., & Closas, P. (2018). On-line model learning for adaptive GNSS ionospheric scintillation estimation and mitigation. Paper presented at the *2018 IEEE/ION Position, Location and Navigation Symposium, PLANS 2018 - Proceedings*, 1167-1172. doi: [10.1109/PLANS.2018.8373501](#)

Xu, Y., Dalmau, R., & [Prats, X.](#) (2018). Climb, cruise, and descent speed reduction for airborne delay without extra fuel. *Journal of Aircraft*, 55(3), 1299-1304. doi: [10.2514/1.C034197](#)

ESAB

- Blaix, C., Moonen, A. C., Dostatny, D. F., [Izquierdo, J.](#), Le Corff, J., Morrison, J., Von Redwitz, C., Schumacher, M., & Westerman, P. R. (2018). Quantification of regulating ecosystem services provided by weeds in annual cropping systems using a systematic map approach. *Weed Research*, 58(3), 151-164. doi:[10.1111/wre.12303](#)
- Cáceres, J., Hernando, C., Mora, M., [Pelayo, I. M.](#), & Puertas, M. L. (2018). Dominating 2-broadcast in graphs: Complexity, bounds and extremal graphs. *Applicable Analysis and Discrete Mathematics*, 12(1), 205-223. doi:[10.2298/AADM1801205C](#)
- Hou, J., [Pradell, T.](#), Li, Y., & Miao, J. (2018). Jun ware glazes: Chemistry, nanostructure and optical properties. *Journal of the European Ceramic Society*, 38(12), 4290-4302. doi:[10.1016/j.jeurceramsoc.2018.05.010](#)
- Lafarga, T., Bobo, G., Viñas, I., Zudaire, L., [Simó, J.](#), & Aguiló-Aguayo, I. (2018). Steaming and sous-vide: Effects on antioxidant activity, vitamin C, and total phenolic content of brassica vegetables. *International Journal of Gastronomy and Food Science*, doi:[10.1016/j.ijgfs.2018.05.007](#)
- Margenat, A., Matamoros, V., Díez, S., [Cañameras, N.](#), [Comas, J.](#), & Bayona, J. M. (2018). Occurrence and bioaccumulation of chemical contaminants in lettuce grown in peri-urban horticulture. *Science of the Total Environment*, 637-638, 1166-1174. doi:[10.1016/j.scitotenv.2018.05.035](#)
- Sans, S., Ferré, J., Boqué, R., [Sabaté, J.](#), [Casals, J.](#), & [Simó, J.](#) (2018). Determination of chemical properties in 'calçot' (*Allium cepa* L.) by near infrared spectroscopy and multivariate calibration. *Food Chemistry*, 262, 178-183. doi:[10.1016/j.foodchem.2018.04.102](#)
- [Serrano, L.](#), Esakkimuthu, E. S., Marlin, N., Brochier-Salon, M., Mortha, G., & Bertaud, F. (2018). Fast, easy, and economical quantification of lignin phenolic hydroxyl groups:

Comparison with classical techniques. *Energy and Fuels*, 32(5), 5969-5977.

doi: [10.1021/acs.energyfuels.8b00383](https://doi.org/10.1021/acs.energyfuels.8b00383)

Tarrago, M., Garcia-Valles, M., Martinez, S., [Pradell, T.](#), & Bruna, P. (2018). Fe in P-doped basaltic melts: A mössbauer spectroscopy study. *Materials Letters*, 228, 57-60.

doi: [10.1016/j.matlet.2018.05.018](https://doi.org/10.1016/j.matlet.2018.05.018)

Zudaire, L., Viñas, I., Abadias, M., [Simó, J.](#), & Aguiló-Aguayo, I. (2018). Efficacy of chlorine, peroxyacetic acid and mild-heat treatment on the reduction of natural microflora and maintenance of quality of fresh-cut calçots (*allium cepa* L.). *LWT*, 95, 339-345.

doi: [10.1016/j.lwt.2018.05.005](https://doi.org/10.1016/j.lwt.2018.05.005)