




Biblioteca del Campus del Baix Llobregat  
UNIVERSITAT POLITÈCNICA DE CATALUNYA



**ENGINY20**

**Biblioteca del Campus del Baix Llobregat**

**Informe mensual d'articles  
publicats.**



**Febrer i març 2019**

## Informe mensual d'articles publicats Campus Baix Llobregat. Base de dades Scopus. Febrer i març 2019<sup>1</sup>

### EETAC

- [Altmeyer, S.](#), Bril, R. J., & Gai, P. (2019). EMPRESS: An efficient and effective method for PREdictable stack sharing. Paper presented at the *Proceedings - 2018 IEEE 24th International Conference on Embedded and Real-Time Computing Systems and Applications, RTCSA 2018*, 92-100. doi:[10.1109/RTCSA.2018.00020](https://doi.org/10.1109/RTCSA.2018.00020)
- Camacho-Guardian, A., Goldman, N., [Massignan, P.](#), & Bruun, G. M. (2019). Dropping an impurity into a chern insulator: A polaron view on topological matter. *Physical Review B*, 99(8) doi:[10.1103/PhysRevB.99.081105](https://doi.org/10.1103/PhysRevB.99.081105)
- Camargo-Forero, L., [Royo, P.](#), & [Prats, X.](#) (2019). The ARCHADE: Ubiquitous supercomputing for robotics. part I: Philosophy. *Robotics and Autonomous Systems*, 114, 187-198. doi:[10.1016/j.robot.2019.01.006](https://doi.org/10.1016/j.robot.2019.01.006)
- Cenarro, A. J., Moles, M., Cristóbal-Hornillos, D., Marín-Franch, A., Ederoclite, A., Varela, J., [Rebassa-Mansergas, A.](#), [et. al]. (2019). J-PLUS: The javalambre photometric local universe survey. *Astronomy and Astrophysics*, 622 doi:[10.1051/0004-6361/201833036](https://doi.org/10.1051/0004-6361/201833036)
- Darroudi, S. M., Caldera-Sánchez, R., & [Gomez, C.](#) (2019). Bluetooth mesh energy consumption: A model. *Sensors (Basel, Switzerland)*, 19(5) doi:[10.3390/s19051238](https://doi.org/10.3390/s19051238)
- Echeverri-Chacon, S., Mohr, J. J., [Olmos, J. J. V.](#), Dawe, P., Pedersen, B. V., Franck, T., & Christensen, S. B. (2019). Transmitter and dispersion eye closure quaternary (TDECQ) and its sensitivity to impairments in PAM4 waveforms. *Journal of Lightwave Technology*, 37(3), 852-860. doi:[10.1109/JLT.2018.2881986](https://doi.org/10.1109/JLT.2018.2881986)



<sup>1</sup> Articles obtinguts a la base de dades Scopus. Data de la cerca 10/04/2019

[Gomez, C.](#), Chessa, S., Fleury, A., Roussos, G., & Preuveneers, D. (2019). Internet of things for enabling smart environments: A technology-centric perspective. *Journal of Ambient Intelligence and Smart Environments*, 11(1), 23-43. doi:[10.3233/AIS-180509](https://doi.org/10.3233/AIS-180509)



[Gomez, C.](#), Veras, J. C., [Vidal, R.](#), [Casals, L.](#), & Paradells, J. (2019). A sigfox energy consumption model. *Sensors (Switzerland)*, 19(3) doi:[10.3390/s19030681](https://doi.org/10.3390/s19030681)



[Guardia, M.](#), Kaloshin, V., & Zhang, J. (2019). Asymptotic density of collision orbits in the restricted circular planar 3 body problem. *Archive for Rational Mechanics and Analysis*, doi:[10.1007/s00205-019-01368-7](https://doi.org/10.1007/s00205-019-01368-7)



Lancheros, E., Camps, A., [Park, H.](#), Rodriguez, P., Tonetti, S., Cote, J., & Pierotti, S. (2019). Selection of the key earth observation sensors and platforms focusing on applications for polar regions in the scope of copernicus system 2020-2030. *Remote Sensing*, 11(2) doi:[10.3390/rs11020175](https://doi.org/10.3390/rs11020175)



[Leyva-Pupo, I.](#), [Cervelló-Pastor, C.](#), & [Llorens-Carrodeguas, A.](#) (2019). The resources placement problem in a 5G hierarchical SDN control plane doi:[10.1007/978-3-319-99608-0\\_48](https://doi.org/10.1007/978-3-319-99608-0_48)

[Llorens-Carrodeguas, A.](#), [Cervelló-Pastor, C.](#), & [Leyva-Pupo, I.](#) (2019). Software defined networks and data distribution service as key features for the 5G control plane doi:[10.1007/978-3-319-99608-0\\_45](https://doi.org/10.1007/978-3-319-99608-0_45)

[Lopez-Aguilera, E.](#), [Garcia-Villegas, E.](#), & Casademont, J. (2019). Evaluation of IEEE 802.11 coexistence in WLAN deployments. *Wireless Networks*, 25(1), 87-104. doi:[10.1007/s11276-017-1540-z](https://doi.org/10.1007/s11276-017-1540-z)

Maskey, M. L., [Puente, C. E.](#), & Sivakumar, B. (2019). Temporal downscaling rainfall and streamflow records through a deterministic fractal geometric approach. *Journal of Hydrology*, 568, 447-461. doi:[10.1016/j.jhydrol.2018.09.014](https://doi.org/10.1016/j.jhydrol.2018.09.014)

Molina, F., Sala-Alvarez, J., [Villares, J.](#), & Rey, F. (2019). Joint energy and rate allocation for successive interference cancellation in the finite blocklength regime. Paper presented at

the 2018 IEEE Global Conference on Signal and Information Processing, GlobalSIP 2018 - Proceedings, 1045-1049. doi:[10.1109/GlobalSIP.2018.8646436](https://doi.org/10.1109/GlobalSIP.2018.8646436)

Navarro-Ortiz, J., Ramos-Munoz, J. J., Lopez-Soler, J. M., [Cervello-Pastor, C.](#), & Catalan, M. (2019). A LoRaWAN testbed design for supporting critical situations: Prototype and evaluation. *Wireless Communications and Mobile Computing*, 2019 doi:[10.1155/2019/1684906](https://doi.org/10.1155/2019/1684906)



Noy, M., Requilé, C., & [Rué, J.](#) (2019). Enumeration of labelled 4-regular planar graphs. *Proceedings of the London Mathematical Society*, doi:[10.1112/plms.12234](https://doi.org/10.1112/plms.12234)

[Ochoa-Aday, L.](#), [Cervello-Pastor, C.](#), & [Fernandez-Fernandez, A.](#) (2019). ETDp: Enhanced topology discovery protocol for software-defined networks. *IEEE Access*, 7, 23471-23487. doi:[10.1109/ACCESS.2019.2899653](https://doi.org/10.1109/ACCESS.2019.2899653)



[Olm, M.](#), Badia, S., & Martín, A. F. (2019). On a general implementation of h- and p-adaptive curl-conforming finite elements. *Advances in Engineering Software*, doi:[10.1016/j.advengsoft.2019.03.006](https://doi.org/10.1016/j.advengsoft.2019.03.006)

[Olm, M.](#), Badia, S., & Martín, A. F. (2019). Simulation of high temperature superconductors and experimental validation. *Computer Physics Communications*, 237, 154-167. doi:[10.1016/j.cpc.2018.11.021](https://doi.org/10.1016/j.cpc.2018.11.021)

Onrubia, R., Pascual, D., Querol, J., [Park, H.](#), & Camps, A. (2019). The global navigation satellite systems reflectometry (GNSS-R) microwave interferometric reflectometer: Hardware, calibration, and validation experiments. *Sensors (Switzerland)*, 19(5) doi:[10.3390/s19051019](https://doi.org/10.3390/s19051019)



Pagès, A., Agraz, F., Montero, R., Landi, G., Capitani, M., Gallico, D., [Spadaro, S.](#), [et al.] (2019). Orchestrating virtual slices in data centre infrastructures with optical DCN. *Optical Fiber Technology*, 50, 36-49. doi:[10.1016/j.yofte.2019.02.011](https://doi.org/10.1016/j.yofte.2019.02.011)

Pous, M., [Quilez, M.](#), Fernandez, M., & Silva, F. (2019). Characterization of time domain em field double-loaded curved loop probe. Paper presented at the 2018 IEEE 4th Global

*Electromagnetic Compatibility Conference, GEMCCon*

2018, doi:[10.1109/GEMCCON.2018.8628570](https://doi.org/10.1109/GEMCCON.2018.8628570)

Rodríguez, S., Jurado-Navas, A., [Olmos, J. J. V.](#), & Monroy, I. T. (2019). Analytical and experimental performance evaluation of antenna misalignment in ka-band wireless links. *Mobile Networks and Applications*, doi:[10.1007/s11036-018-1158-0](https://doi.org/10.1007/s11036-018-1158-0)

Romero, L., [Alvarez-Lacalle, E.](#), & Shiferaw, Y. (2019). Stochastic coupled map model of subcellular calcium cycling in cardiac cells. *Chaos*, 29(2) doi:10.1063/1.5063462

Rony, R. I., [Lopez-Aguilera, E.](#), & [Garcia-Villegas, E.](#) (2019). Optimization of 5G fronthaul based on functional splitting at PHY layer. Paper presented at the *2018 IEEE Global Communications Conference, GLOBECOM 2018 - Proceedings*, doi:[10.1109/GLOCOM.2018.8647928](https://doi.org/10.1109/GLOCOM.2018.8647928)

[Salamí, E.](#), Gallardo, A., Skorobogatov, G., & [Barrado, C.](#) (2019). On-the-fly olive tree counting using a UAS and cloud services. *Remote Sensing*, 11(3) doi:[10.3390/rs11030316](https://doi.org/10.3390/rs11030316)



Sekulic, I., [Ubeda, E.](#), & Rius, J. M. (2019). Nonconforming domain decomposition method for the flexible analysis of multiscale penetrable structures. Paper presented at the *CEMI 2018 - International Workshop on Computing, Electromagnetics, and Machine Intelligence*, 59-60. doi:[10.1109/CEMI.2018.8610647](https://doi.org/10.1109/CEMI.2018.8610647)

Sifuentes, E., Gonzalez-Landaeta, R., Cota-Ruiz, J., & [Reverter, F.](#) (2019). Seat occupancy detection based on a low-power microcontroller and a single FSR. *Sensors (Switzerland)*, 19(3) doi:[10.3390/s19030699](https://doi.org/10.3390/s19030699)



[Spadaro, S.](#), Fazio, E., Bonsignore, M., Lavanya, N., Sekar, C., Leonardi, S. G., [et. al]. (2019). *Electrochemical sensor based on molybdenum oxide nanoparticles for detection of dopamin* doi:[10.1007/978-3-030-04324-7\\_5](https://doi.org/10.1007/978-3-030-04324-7_5)

Suñol, F., & González-Cinca, R. (2019). Effects of gravity level on bubble detachment, rise, and bouncing with a free surface. *International Journal of Multiphase Flow*, , 191-198. doi:[10.1016/j.ijmultiphaseflow.2019.01.016](https://doi.org/10.1016/j.ijmultiphaseflow.2019.01.016)

Suñol, F., Ochoa, D. A., Suñé, L. R., & García, J. E. (2019). Design and characterization of immersion ultrasonic transducers for pulsed regime applications. *Instrumentation Science and Technology*, 47(2), 213-232. doi:[10.1080/10739149.2018.1518876](https://doi.org/10.1080/10739149.2018.1518876)

Wang, Q., Alcaraz-Calero, J., Ricart-Sanchez, R., Weiss, M. B., Gavras, A., Nikaiein, N., [Spadaro, S.](#), [et. al.] (2019). Enable advanced QoS-aware network slicing in 5G networks for slice-based media use cases. *IEEE Transactions on Broadcasting*, doi:[10.1109/TBC.2019.2901402](https://doi.org/10.1109/TBC.2019.2901402)

Xu, Y., & [Prats, X.](#) (2019). Linear holding for airspace flow programs: A case study on delay absorption and recovery. *IEEE Transactions on Intelligent Transportation Systems*, 20(3), 1042-1051. doi:[10.1109/TITS.2018.2842918](https://doi.org/10.1109/TITS.2018.2842918)

Zarate, F., Gomez, A., & Oñate, E. (2019). Experimental and numerical fracture tests in concrete. towards the virtual laboratory. *Revista Internacional De Metodos Numericos Para Calculo y Diseno En Ingenieria*, 35(1) doi:[10.23967/j.rimni.2019.01.004](https://doi.org/10.23967/j.rimni.2019.01.004)



## DEAB

Campos, J., [Llop, J.](#), [Gallart, M.](#), García-Ruiz, F., [Gras, A.](#), Salcedo, R., & Gil, E. (2019). Development of canopy vigour maps using UAV for site-specific management during vineyard spraying process. *Precision Agriculture*, doi:[10.1007/s11119-019-09643-z](https://doi.org/10.1007/s11119-019-09643-z)

[Claramunt, J.](#), Ventura, H., Toledo Filho, R. D., & Ardanuy, M. (2019). Effect of nanocelluloses on the microstructure and mechanical performance of CAC cementitious matrices. *Cement and Concrete Research*, 119, 64-76.

doi:[10.1016/j.cemconres.2019.02.006](https://doi.org/10.1016/j.cemconres.2019.02.006)

Doñate-Macián, P., Álvarez-Marimon, E., [Sepulcre, F.](#), Vázquez-Ibar, J. L., & Perálvarez-Marín, A. (2019). The membrane proximal domain of TRPV1 and TRPV2 channels mediates Protein-Protein interactions and lipid binding in vitro. *International Journal of Molecular Sciences*, 20(3) doi:[10.3390/ijms20030682](https://doi.org/10.3390/ijms20030682)



Fernández, E., [Gorchs, G.](#), & [Serrano, L.](#) (2019). Use of consumer-grade cameras to assess wheat N status and grain yield. *PLoS ONE*, *14*(2) doi:[10.1371/journal.pone.0211889](#)



García-Mendivil, H. A., Munera, M., Giné, A., [Escudero, N.](#), Picó, M. B., Gisbert, C., & [Sorribas, F. J.](#) (2019). Response of two *Citrullus amarus* accessions to isolates of three species of meloidogyne and their graft compatibility with watermelon. *Crop Protection*, *119*, 208-213. doi:[10.1016/j.cropro.2019.02.005](#)

Gil, E., Campos, J., Ortega, P., [Llop, J.](#), [Gras, A.](#), Armengol, E., . . . [Gallart, M.](#) (2019). DOSAVIÑA: Tool to calculate the optimal volume rate and pesticide amount in vineyard spray applications based on a modified leaf wall area method. *Computers and Electronics in Agriculture*, *160*, 117-130. doi:[10.1016/j.compag.2019.03.018](#)

[Kallas, Z.](#), Vitale, M., & [Gil, J. M.](#) (2019). Health innovation in patty products. the role of food neophobia in consumers' non-hypothetical willingness to pay, purchase intention and hedonic evaluation. *Nutrients*, *11*(2) doi:[10.3390/nu11020444](#)



[Oca, J.](#), Cremades, J., Jiménez, P., Pintado, J., & [Masaló, I.](#) (2019). Culture of the seaweed *Ulva ohnoi* integrated in a *Solea senegalensis* recirculating system: Influence of light and biomass stocking density on macroalgae productivity. *Journal of Applied Phycology*, doi:[10.1007/s10811-019-01767-z](#)

Yangui, A., Akaichi, F., Costa-Font, M., & [Gil, J. M.](#) (2019). Comparing results of ranking conjoint analyses, best-worst scaling and discrete choice experiments in a nonhypothetical context. *Australian Journal of Agricultural and Resource Economics*, doi:[10.1111/1467-8489.12292](#)

[Verdú, A. M. C.](#), & [Mas, M. T.](#) (2019). Assessing phenotypic quantitative resistance of *Digitaria sanguinalis* to *Ustilago syntherismae*: From individual to population level. *Plant Biosystems*, doi:[10.1080/11263504.2019.1578279](#)

Zudaire, L., Viñas, I., [Simó, J.](#), Sans, S., Abadias, M., & Aguiló-Aguayo, I. (2019). Effect of pre-harvest conditions and postharvest storage time on the quality of whole and fresh-

cut calçots (*allium cepa* L.). *Scientia Horticulturae*, 249, 110-119.

doi: [10.1016/j.scienta.2019.01.043](https://doi.org/10.1016/j.scienta.2019.01.043)

## ESAB

Alcon, L., Gutierrez, M., Hernando, C., Mora, M., & [Pelayo, I. M.](#) (2019). Neighbor-locating colorings in graphs. *Theoretical Computer Science*, doi: [10.1016/j.tcs.2019.01.039](https://doi.org/10.1016/j.tcs.2019.01.039)