Aquacultural Engineering xxx (2012) xxx-xxx

FISEVIER

Contents lists available at SciVerse ScienceDirect

Aquacultural Engineering

journal homepage: www.elsevier.com/locate/aqua-online



Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features

Joan Oca*, Ingrid Masalo

Departament d'Enginyeria Agroalimentària i Biotecnologia, Universitat Politècnica de Catalunya, BARCELONATECH C/Esteve Terrades 8, 08860 Castelldefels, Spain

ARTICLE INFO

Article history: Received 22 May 2012 Accepted 21 September 2012

Keywords: Circular tank Water inlet Distribution of velocities Angular momentum

ABSTRACT

Circular tank geometry is very common in aquaculture because it provides more stable flow patterns, a more homogeneous distribution of dissolved oxygen and metabolites and better self cleaning features. Many works were performed in the last years to determine optimal velocities for maintaining general fish health, but the distribution of velocities inside circular tanks is frequently very heterogeneous. This work is focused on the analysis of the influence of design parameters in the distribution of water velocities inside aquaculture circular tanks. A model is proposed to estimate the distribution of velocities by determining the angular momentum per unit mass next to the tank wall and around the central axis. The model depends on the water inflow and outflow rates, the water inlet velocity, the tank radius, the water depth, and three tank-specific parameters which must be determined experimentally to include the effect of the wall roughness, the characteristics of water inlet devices and the presence of singular elements in the tank bottom producing friction loses.

© 2012 Elsevier B.V. All rights reserved.

1. Introduction

Optimum hydrodynamic conditions in aquaculture tanks are determined by species requirements and waste elimination. The main design parameters that influence tank hydrodynamics, including flow pattern and average velocities, are the geometry and the water inlet and outlet characteristics (Klapsis and Burley, 1984; Tvinnereim and Skybakmoen, 1989; Timmons et al., 1998; Oca et al., 2004; Masaló, 2008).

Circular tanks, with a tangential inlet and the outlet placed in the central bottom, are one of the most common configurations used in aquaculture. This tank geometry allows obtaining more stable flow patterns and higher velocities than rectangular tanks, thanks to the rotating characteristics of the flow (Ross and Watten, 1998; Oca and Masaló, 2007a). This results in a more homogeneous distribution of dissolved oxygen and metabolites, and facilitates the elimination of biosolids from the tank bottom.

The main factors affecting the average velocity in circular tanks have been analyzed by several authors. Tvinnereim and Skybakmoen (1989) pointed out that water velocity in a circular tank with tangential water entry is controlled by the inlet impulse force (Eq. (1)).

$$F_i = \rho Q \left(V_{\text{in}} - V_1 \right) \tag{1}$$

0144-8609/\$ - see front matter © 2012 Elsevier B.V. All rights reserved. http://dx.doi.org/10.1016/j.aquaeng.2012.09.002 where ρ is the water density, Q the injected water flow rate, and $V_{\rm in}$ and $V_{\rm 1}$ the jet inlet velocity and the circulating velocity of water in the tank, respectively.

Oca and Masaló (2007a) defined a non dimensional tank resistance coefficient (Ct) (Eq. (2)) which allows estimating average velocities ($V_{\rm avg}$) inside a tank as a function of flow rate (Q) and water inlet velocity ($V_{\rm in}$), assuming $V_{\rm in} \gg V_{\rm avg}$.

$$Ct = \frac{2QV_{\rm in}}{AV_{\rm avg}^2} \tag{2}$$

where *A* is the wet area.

Ct is suitable not only for adjusting the average velocities of a specific tank to the self-cleaning tank requirements and desired fish swimming speed, but also to compare the energy required by different flow rotating tank designs to achieve a specific average velocity.

In addition to the average velocity, the distribution of velocities is important. Many authors proposed optimal velocities for fish health and growth (p.e.: Timmons and Youngs, 1991; Losordo and Westers, 1994; Castro et al., 2011, for salmonids; Bengtson et al., 2004, for Summer flounder *Paralichthys dentatus*; Merino et al., 2007, for California halibut *Paralichthys californicus*). At swimming speeds lower than optimal, a substantial amount of energy is lost due to higher spontaneous activity (e.g., aggression), while at speeds higher than optimal, swimming becomes unsustainable, stressful, and the ensuing anaerobic metabolism will increase lactate levels, create an oxygen debt and finally cause fatigue (reviewed by Davidson (1997) and Palstra and Planas (2011)).

^{*} Corresponding author. Tel.: +34 935521223; fax: +34 935521001. E-mail address: joan.oca@upc.edu (J. Oca).

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx

Nevertheless, the appliance of these recommendations is hindered by the heterogeneity of velocities in circular tanks. A high heterogeneity leads to a less efficient use of the space available, due to the fish tendency to avoid tank volumes with too high velocities and dead volumes with lower DO and higher metabolites concentrations (Ross et al., 1995; Duarte et al., 2011; Almansa et al., 2012). In this way, a distribution uniformity coefficient has been proposed by Oca and Masaló (2007b) and Masaló and Oca (2010) to measure the homogeneity of velocities in the tank. The analysis of this uniformity requires not only a global assessment of the average velocity in the tank but also a detailed flow pattern analysis to determine the influence of the different design parameters in the homogeneity of velocities inside the tank.

Davidson and Summerfelt (2004) described the flow pattern in specific designs of circular tanks and compared the velocity profiles in a dual drain tank with most of the water exiting the tank through the side-wall, and a small rate (0-12%) through the tank bottom. The velocities near the tank center clearly increased with increasing the bottom flow drain.

In the field of water treatment processes, a relatively similar flow can be observed in vortex settling basins. The hydrodynamics of these basins have been widely studied (Mashauri, 1986; Paul et al., 1991; Fisher and Flack, 2002; Veerapen et al., 2005; Yunjie, 2009), but it must be pointed out the high differences existing with circular aquaculture tanks in the magnitude of important design parameters, like the retention time or the relationship between water inlet velocity and average velocity, which is much higher in aquaculture tanks.

The aim of the present work is to analyze, in aquaculture circular tanks, the influence of tank characteristics (diameter, water height, roughness) and water inlet and outlet features (flow rates, impulse forces) in the distribution of water velocities inside the tank.

2. Materials and methods

2.1. Theoretical background

The most typical configuration of aquaculture circular tanks consists in a tangential water entry placed next to the tank wall and a water outlet placed in the tank bottom center. There exist some configurations where water outlet flow is divided in two fractions, the first leaving the tank through the bottom center outlet and the second through the water wall.

Water entering tangentially into the tank, combined with the water outflow through the tank center, produces a rotating movement of the water around the tank center, that is, a vortex. In a general way, we can differentiate between the "forced vortex" (or rotational vortex), with velocity increasing proportionally to the radius, and the "free vortex" (or irrotational vortex), where the speed and rotation rate of the fluid are largest at the center and decrease progressively with distance from the center.

The forced vortex occurs can be obtained in a liquid occupying a vessel by spinning the recipient or by applying a torque to force the liquid to rotate like a solid body. The typical example of a free vortex is the rotating flow that occurs in a vessel when the liquid is drained through a hole in the bottom.

In a forced vortex, the tangential velocity along a streamline (V)can be expressed as

$$V = \omega r \quad (\omega = \text{constant})$$
 (3)

where ω is the angular velocity; and r is the radius.

We can define the angular momentum per unit mass (β) in a vortex point placed at a radius r as

$$\beta = Vr \tag{4}$$




Fig. 1. Distribution of velocities obtained with the Rankine combined vortex model (continuous line) and with the Burgers model (dashed line).

Observing Eqs. (3) and (4) it can be seen that, in the forced vortex, the angular momentum per unit mass increases proportionally to the squared radius.

In contrast, in the free vortex no torque is applied and there is no energy consumption from an external source. According with the second Newton's law, when no torque is applied in an inviscid fluid the value of β must be identical for any radius and therefore the tangential velocity along any streamline must be inversely proportional to the radius (r) of the streamline.

$$V = \frac{C}{r} \tag{5}$$

where C is a constant value which can be determined from a known value of *V* in a radius *r*.

Eq. (5) implies that the tangential velocity at the rotation axis is infinite. This kind of flow pattern does not occur in physical fluids. The existence of viscosity results in friction loses, proportional to squared velocities, which are not negligible near the rotation axis. Some models have been proposed to describe the distribution of tangential velocities in the core of a free vortex. The Rankine combined vortex (Lugt, 1983) is a simple model where tangential velocities increase linearly from the rotation axis up to a maximum value at a radius Rc, and decrease from this point outward proportional to the inverse of radius (see Fig. 1). The Burger's vortex model (Burgers, 1948) gives a distribution of tangential velocities following the mathematical form

$$V = \frac{C}{r} \left(1 - e^{-ar^2/2v} \right) \tag{6}$$

where ν is the kinematic viscosity and a is the strength of suction.

2.1.1. Influence of water inlet velocity and flow rate in the flow

In aquaculture circular tanks, water entering tangentially to the tank wall at a velocity V_{in} larger than the mean circulating velocity in the tank V_1 provides an impulse force F_i (Eq. (1)) and a torque T_i which can be calculated as

$$T_i = F_i R = R \rho \ Q \left(V_{\text{in}} - V_1 \right) \tag{7}$$

R being the tank radius.

Considering that, in aquaculture tanks, the water inlet velocity $V_{\rm in}$ is much higher than V_1 , Eqs. (1) and (7) can be replaced by

$$F_i \cong \rho QV_{in}$$
 (8)

$$T_i = F_i R \cong R \rho \ QV_{\rm in} \tag{9}$$

In terms of momentum conservation, the total external torque acting on the system must be zero, and therefore T_i must be equal to the resistance torque T_r due to the boundary shear forces from the tank surfaces.

AQUE-1651; No. of Pages 8

ARTICLE IN PRESS

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx

The resistance torque due to the boundary friction force from the tank wall T_{rw} can be estimated as

$$T_{rw} = \tau_0 A_{\text{wall}} R = \tau_0 H 2\pi R^2 \tag{10}$$

Being $A_{\rm wall}$ the tank wall area, H the water height and τ_0 the average boundary shear stress, which here will be considered uniform in all the wall area.

Assuming a turbulent regime and taking V_w as the water velocity in the wall, τ_0 can be expressed as

$$\tau_0 = \frac{1}{8} f \rho \ V_W^2 \tag{11}$$

where *f* is Darcy–Weisbach friction factor, which for turbulent rough flow depends only on the relative roughness (Franzini and Finnemore, 2001).

If we estimate the water velocity in the tank wall V_w by balancing T_i (Eq. (9)) and T_{rw} (Eqs. (10) and (11)) we obtain

$$V_{w} = \sqrt{\frac{4}{\pi \rho f} R} \sqrt{\frac{Fi}{H}}$$
 (12)

The angular momentum per unit mass next to the tank wall $eta_{
m W}$ will be

$$\beta_{w} = \sqrt{\frac{4R}{\pi \rho f}} \sqrt{\frac{Fi}{H}} \tag{13}$$

The resistant torque due to the boundary force from the tank bottom T_{rb} should be calculated by integrating the resistance of each infinitesimal ring strip with width dr within the tank bottom (Eq. (14)).

$$T_{rb} = \int_{0}^{R} \tau_{0} 2\pi r^{2} dr = \int_{0}^{R} \frac{1}{4} f \rho \pi r^{2} V^{2} dr$$
 (14)

If a forced vortex pattern were assumed, with the water rotating like a solid body, V could be replaced by ωr with constant ω , and T_{rb} would become $T_{rw}R/(5H)$. Nevertheless, this assumption is inaccurate in this kind of tank, and the low viscosity of water can make the influence of T_{rb} in V_w negligible. Therefore, the balance done in Eq. (12) can be a good approach to estimate V_w .

2.1.2. Influence of water outlet flow rate in the flow pattern

The water outlet placed in the center of the circular aquaculture tanks promotes the creation of a free vortex with the tangential velocities distribution described above. The strength of the free vortex will be related to the flow rate drained through the central outlet. Kawakubo et al. (1978) observed that the formation of a vortex around a sink requires a discharge flow rate exceeding a threshold value

Some authors analyzed the flow that occurs when a fluid drains out of a container. They found a complex flow structure when vertical velocities and radial velocities where considered. They described a bottom boundary layer with an inward flow toward the drain and an upwelling flow next to the central region with axial velocities depending linearly on height (Andersen et al., 2006; Lundgren, 1985; Huang et al., 2008; Yukimoto et al., 2010). These radial and axial flows have a great importance in the study of vortex separators to remove solids from wastewater or in the study of atmospheric phenomena like tornados.

The velocity component which will have a significant influence in fish swimming and behavior inside an aquaculture tank will be the tangential velocity (*V*), which was found to be almost independent of height except in the boundary layer near to solid boundaries (Andersen et al., 2006; Despres, 2007; Mashauri, 1986). Nevertheless, the relative importance of the volume flux in the boundary layer can influence the distribution of velocities inside the tank. Mashauri (1986), for a vortex settling basin, defined two




Fig. 2. Experimental setup.

vortex volumes: a free vortex zone for radius lower than R/3, and a forced vortex zone where radius is higher than R/3. In the free vortex zone (β = constant), the tangential velocity was calculated using Eq. (5), with C proportional to Q, while in the forced vortex zone (β = Vr = wr^2) angular velocity w was constant and tangential velocity was calculated using Eq. (3).

Yukimoto et al. (2010), working with a bathtub vortex in a cylindrical tank rotating at a constant angular velocity Ω , reported that two regimes of vortices can occur in the steady-state depending on Ω and the volume flux Q through the drain hole: when Q is large and Ω is small (regime I), a potential vortex is formed in which angular momentum outside the vortex core is constant in the nonrotating frame, verifying Eqs. (4) and (5). However, when Q is small or Ω is large (regime II), almost all of the radial volume flux occurs only in the boundary layer and the angular momentum decreases with decreasing radius. In similar conditions, Andersen et al. (2006) showed that in the bulk of the fluid, far above the boundary layer and outside the central region, the measured tangential velocities are modeled well by the line vortex $V = Q/\pi \delta r$. Here, δ is the thickness of the boundary layer, which increases when Ω decreases.

Summarizing, two simultaneous phenomena take place in aquaculture tanks: The first, next to the tank wall, due to the higher water inlet velocity V_{in} which provides an angular momentum to the fluid next to the tank wall (β_w). The second, around the central axis, due to the water flow rate exiting the tank through the central outlet (Q) which tends to maintain a constant angular momentum (β_0) because of to the formation of a free vortex in absence of torque. The transition from β_w to β_0 will be determined by the radial volume flux in the bulk of the fluid and by friction losses.

2.2. Experimental tests

Experiments were carried out in a cylindrical tank with flat bottom and 1.5 m diameter. Water inlet was tangential to the wall and water outlet was placed at the bottom center, in the way shown in Fig. 2.

The steps followed in the experimental test were (1) measuring tangential velocities along the tank diametrical axis at half water depth, with different flow rates, water inlet velocities (by changing inlet diameters) and tank water heights, (2) analyzing the variation

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx

Table 1 Water inlet velocity (V_{in}) , flow rate (Q), impulse force (F_i) and water depth (H) for each tank configuration.

| Tank configuration | V _{in} (m/s) | Q (l/h) | $F_i(N)$ | H(m) |
|--------------------------------|-----------------------|---------|----------|------|
| Q = 600 - Fi = 0.35 - H = 0.5 | 2.0 | 600 | 0.35 | 0.5 |
| Q = 900 - Fi = 0.75 - H = 0.5 | 3.1 | 900 | 0.75 | 0.5 |
| Q = 1200 - Fi = 1.41 - H = 0.5 | 4.0 | 1200 | 1.41 | 0.5 |
| Q = 1200 - Fi = 0.44 - H = 0.5 | 1.3 | 1200 | 0.44 | 0.5 |
| Q = 2200 - Fi = 1.47 - H = 0.5 | 2.5 | 2200 | 1.47 | 0.5 |
| Q = 2700 - Fi = 1.48 - H = 0.5 | 2.0 | 2700 | 1.48 | 0.5 |
| Q = 600 - Fi = 0.35 - H = 0.2 | 2.0 | 600 | 0.35 | 0.2 |
| Q = 900 - Fi = 0.75 - H = 0.2 | 3.1 | 900 | 0.75 | 0.2 |
| Q = 1200 - Fi = 0.44 - H = 0.2 | 1.3 | 1200 | 0.44 | 0.2 |
| Q = 2200 - Fi = 1.47 - H = 0.2 | 2.5 | 2200 | 1.47 | 0.2 |

of the angular momentum per unit mass (β) along the tank radius, and (3) estimating the values of β next to the tank wall (β_w) and around the central axis of the tank (β_0) .

Tangential velocities were taken using an Acoustic Doppler Velocimeter ADV (Nortek 10 MHz velocimeter). ADV sensor is a high-precision instrument that measures all three flow velocity components in the sampling volume placed 5 cm below the probe. Data obtained was post-processed using the package WinADV (Wahl, 2000). Correlation coefficient (COR) above 70, and signal-tonoise ratio (SNR) above 5 were used. A more detailed description about post-processing can be found in Masaló et al. (2008). Each measurement lasted 2 min, with readings taken every 0.04 s. The average of the 3000 values obtained provided the time-averaged velocity for each point. One measurement every 5 cm was taken along the diametrical axis at half water depth for each tank configuration.

The tank configurations analyzed are shown in Table 1. Two water depths (0.2 and 0.5 m) were tested, with flow rates ranging from 600 to 2700 l/h and impulse forces Fi (Eq. (8)) from 0.35 to 1.48 N.

3. Results and discussion

3.1. Velocity profiles

The velocity profile along a diametrical axis is shown in Fig. 3. Some observations to be done from the figure are:

(1) Velocities always decrease from the outer wall to the center, achieving a minimal value at an intermediate radius and

- increasing again toward the center of the tank. Only in the tests performed with the lower flow rates, decreasing velocities with wall distance can also be observed in the central volume.
- (2) The slope of the velocity profile seems to continuously increase with the radius, with negative values in the central volume and the maximal values next to the wall. This behavior is far away from the model proposed by Mashauri (1986), especially for distances to the center higher than *R*/3.
- (3) The vortex core, with tangential velocities increasing linearly with radius from zero to a maximum value, has a very small radius and cannot be detected in our experiments *Rc* < 6 cm)
- (4) For each water depth, velocities close to the wall increase with *Fi.* In contrast, close to the tank center the velocity increases with the flow rate.
- (5) For similar *Fi* values, velocities close to the wall are much higher with the lower water depth (0.2 m) than with the higher one (0.5 m). This different behavior is not observed close to the tank center.
- (6) A slight asymmetry can be observed between both tank halves. They must be attributed to the position of the two monitored radius relative to the water inlet jet (see Fig. 2). Nevertheless, the differences have been considered small enough to analyze the flow assuming identical velocity profiles for any tank radius.

3.2. Distribution of β

Fig. 4 shows the distributions of β versus radius, showing that the angular momentum per unit mass is always higher close to the wall, where the water inlet provides an additional angular momentum, than close to the center, where the angular momentum is mainly determined by the outlet flow rate. The relationship between β and r values fits very well to an exponential curve

$$\beta = c e^{kr} \tag{15}$$

indicating a closely exponential decrease of β , from the wall to the center of the tank.

If the effect of the vortex core were neglected, the value of β in the tank center (β_0) would be obtained by taking r = 0:

$$\beta_0 = c \tag{16}$$

and the expected values of β near the tank wall (β_w) can be obtained taking r = R.

$$\beta_{\rm W} = \beta_0 \ e^{kR} \tag{17}$$




Fig. 3. Velocity profiles in the diametrical axis with different tank configurations (left: 0.5 m water depth, and right: 0.2 m water depth). Q = flow rate expressed in I/h and Fi = water inlet impulse force expressed in N.

Please cite this article in press as: Oca, J., Masalo, I., Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features. Aquacult. Eng. (2012), http://dx.doi.org/10.1016/j.aquaeng.2012.09.002

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx




Fig. 4. (a) Angular momentum per unit mass (β) versus radius (configurations with water depth = 0.5 m). (b) Angular momentum per unit mass (β) versus radius (configurations with water depth = 0.2 m).

The values of β_0 (c) and k can be obtained by linear regression between $\ln(\beta)$ and r for each tank configuration (Eq. (18)) and β_W calculated through Eq. (17). The results are summarized in Table 2, including the coefficient of determination R^2 of the linear regression.

$$\ln(\beta) = \ln(c) + kr \tag{18}$$

For a specific tank with radius R and a constant friction factor f, if we assume the torque balance which leads to Eq. (13), the angular momentum per unit mass next to the tank wall (β_w) should be proportional to (Fi/H)^{0.5}. Fig. 5 shows the relationship between both

Table 2 Values of k, β_0 and β_w for each tank configuration, and coefficient of determination R^2 for the linear regressions between $\ln(\beta)$ and r.

| Tank configuration | $K(\mathbf{m}^{-1})$ | β_0 (m ² /s) | β_w (m ² /s) | R^2 |
|--------------------------------|----------------------|-------------------------------|-------------------------------|-------|
| Q = 600 - Fi = 0.35 - H = 0.5 | 4.94 | 0.0023 | 0.0877 | 0.967 |
| Q = 900 - Fi = 0.75 - H = 0.5 | 4.35 | 0.0053 | 0.1322 | 0.987 |
| Q = 1200 - Fi = 1.41 - H = 0.5 | 4.33 | 0.0076 | 0.1889 | 0.984 |
| Q = 1200 - Fi = 0.44 - H = 0.5 | 3.62 | 0.0070 | 0.1018 | 0.987 |
| Q = 2200 - Fi = 1.47 - H = 0.5 | 3.44 | 0.0153 | 0.1955 | 0.981 |
| Q = 2700 - Fi = 1.48 - H = 0.5 | 2.96 | 0.0215 | 0.1923 | 0.991 |
| Q = 600 - Fi = 0.35 - H = 0.2 | 5.81 | 0.0020 | 0.1491 | 0.980 |
| Q = 900 - Fi = 0.75 - H = 0.2 | 5.34 | 0.0047 | 0.2428 | 0.987 |
| Q = 1200 - Fi = 0.44 - H = 0.2 | 4.36 | 0.0067 | 0.1691 | 0.993 |
| Q=2200 - Fi = 1.47 - H = 0.2 | 3.58 | 0.0199 | 0.2821 | 0.984 |

Please cite this article in press as: Oca, J., Masalo, I., Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features. Aquacult. Eng. (2012), http://dx.doi.org/10.1016/j.aquaeng.2012.09.002

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx




Fig. 5. Angular momentum per unit mass next to the tank wall β_w versus $(F_i/H)^{1/2}$.

parameters for the experimental tank used in our work, which takes the form:

$$\beta_{W} = m\sqrt{\frac{Fi}{H}} \tag{19}$$

being, in the experimental tank, $m = 0.1115 \,\mathrm{m}^2\,\mathrm{kg}^{-1/2}$ and with $R^2 = 0.96$.

The angular momentum per unit mass near the tank center for the analyzed configurations can be related with the outlet flow rate. Fig. 6 shows the relationship between β_0 and Q. It can be seen that the relationship fits very well to a linear regression. The tendency line crosses the Q axis at a positive value. This behavior is in agreement with the results obtained by Kawakubo et al. (1978), who observed that the formation of a vortex around a sink requires a discharge flow rate exceeding a threshold value. The result of the regression leads, in our experimental tank, to an expression like:

$$\beta_0 = nQ - p \tag{20}$$

which can also be expressed as

$$\beta_0 = n(Q - Q_0) \tag{21}$$

where $Q_0 = p/n$, and represents the threshold value of Q needed for the formation of the central vortex.

In the experimental tank analyzed, the values obtained were $n = 34.272 \text{ m}^{-1}$, $p = 0.0038 \text{ m}^2/\text{s}$ and $Q_0 = 0.000111 \text{ m}^3/\text{s}$ (400 l/h), with $R^2 = 0.97$.




Fig. 6. Angular momentum per unit mass in the central tank axis β_0 versus water outlet flow rate Q.

The estimation of β for any radius can be made after from the values of β_0 and β_w . From Eq. (17), the value of k can be related with R, b_0 as:

$$k = \frac{1}{R} \ln \left(\frac{\beta_w}{\beta_o} \right) \tag{22}$$

Replacing k in Eq. (15) or (18) leads to Eqs. (23) and (24) which allow calculating β and V for any radius as a function of r, β_0 and β_w :

$$\beta = \beta_0^{1-r/R} \beta_w^{r/R} \tag{23}$$

$$V = -\frac{1}{r}\beta_0^{1-r/R}\beta_w^{r/R} \tag{24}$$

Eq. (24) allows simulating the distribution of velocities in a tank radius, for specific values of Q, Fi and H, by estimating β_W and β_0 from Eqs. (19) and (20), respectively, after determining the values of coefficients n, p and m for a specific tank. The comparison between simulation and experimental values for the analyzed tank is shown in Fig. 7.

3.3. Experimental determination of tuning parameters for a specific tank

As shown above, tangential velocities in a specific tank depend on geometric factors and operational conditions. The geometric factors are wall roughness, tank radius, characteristics of water inlet devices, and the presence of singular elements in the tank bottom producing friction loses. Operational conditions are the water flow rate (Q), inlet velocity ($V_{\rm in}$), and depth (H). While operational conditions are easily adjustable, geometrical factors are permanent. A few measurements allow determining experimentally the corresponding tuning parameters m, n and p for a specific tank, which reflect the influence of these factors and, in practice, determine the flow for any operational conditions.

The tuning parameter m allows determining the values of β_w as a function of the water depth (H) and the water inlet velocity and flow rate $(V_{\rm in}$ and $Q_{\rm in})$. The value of m will be related to the tank radius and wall roughness (Eq. (12)), and will be nearly constant if the two main conditions above explained are verified: (1) $V_{\rm in}$ much higher than the mean circulating velocity in the tank and (2) Darcy–Weisbach friction factor (f) depending only on the relative roughness, which implies turbulent rough flow.

The adjustment parameters n and p allow setting the values of β_0 for different water outlet flow rates (Q). Also tank radius and bottom roughness are expected to modify the values of n and p by affecting the fraction of radial volume flux occurring in the boundary layer and in the bulk of fluid. Moreover, it must be noted the existence of a threshold flow rate value (Q_0) needed for the formation of the central vortex. The use of lower flow rates in the experimental determination of the tuning parameters will lead to inaccurate results.

Assuming these constraints, it is easy to set the mentioned tuning parameters for a tank with specific roughness and radius by:

- (1) Measuring the velocities at different distances from the center (e.g. r = 0.25R, 0.5R, and 0.75R) with known values of V_{in} , Q and H
- (2) Calculating β values for each radius ($\beta = Vr$).
- (3) Obtaining the values of β_0 and β_w by linear regression between $\ln(\beta)$ and r (Eq. (18)).
- (4) Obtaining the value of m by linear regression between β_w and $\sqrt{F_i/H}$ (Eq. (19)).
- (5) Obtaining the values of n and p or Q_0 by linear regression between β_W and Q (Eq. (21)).

Please cite this article in press as: Oca, J., Masalo, I., Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features. Aquacult. Eng. (2012), http://dx.doi.org/10.1016/j.aquaeng.2012.09.002

6

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx




Fig. 7. Modelled (lines) and measured (points) tangential velocities along the tank radius for each tank configuration.

This procedure will allow predicting tangential velocities profiles in the tank for different flow rates, water inlet diameters and water height. These parameters can be fit to obtain optimal velocities in fish culture tanks and appropriated speed uniformity.

The influence of fish density in the distribution of velocities inside the tank has not been still analyzed. New experiments are being conducted to establish the importance of this factor in the velocity profile obtained for usual fish culture conditions.

4. Conclusions

The velocity profiles in a diametrical axis of a circular aquaculture tank with a tangential water entry and a bottom central outlet has been analyzed by trying different flow rates, water inlet velocities and water heights.

In all the tank configurations, the distributions of the angular momentum ($\beta = Vr$) versus radius fits very well to an exponential curve $\beta = c \, e^{kr}$.

For a specific tank with radius R and a constant friction factor f, the angular momentum per unit mass next to the tank wall (β_w) has been found to be proportional to $(Fi/H)^{0.5}$.

Around the central axis of the tank, a linear relationship has been found between the angular momentum per unit mass (β_0) and the flow rate (Q). The existence of a threshold value Q_0 needed for the formation of the central free vortex has been also confirmed.

The estimation of the flow speed V for any radius can be made as a function of the β_0 and β_w by taking $V = 1/r \beta_0^{1-r/R} \beta_w^{r/R}$.

The geometrical factors which ultimately determine the flow pattern are the wall roughness, the tank radius, the water height, the characteristics of water inlet devices and the presence of singular elements in the tank bottom producing friction loses. These factors determine the values of three tuning parameters which in eventually determine the values of β_w and β_0 . A procedure has been proposed to determine the tuning parameters for a given tank geometry.

The proposed model allows fitting the flow rate, water inlet diameter and water height to obtain optimal velocities and proper speed uniformity in aquaculture tanks.

Acknowledgement

This work was funded by Spanish Ministerio de Educación y Ciencia (AGL2009-11655).

References

Almansa, C., Reig, L., Oca, J., 2012. Use of laser scanning to evaluate turbot (*Scophthalmus maximus*) distribution in raceways with different water velocities. Aquacultural Engineering 51, 7–14.

Andersen, A., Bohr, T., Stenum, B., Juul Rasmussen, J., Lautrup, B.J., 2006. The Bathtub vortex in a rotating container. Fluid Mechanics 556, 121–146.

Bengtson, D., Willye, S., McCaffrey, E., Alves, D., 2004. Effects of water velocity on conditioning of Summer flounder, *Paralichthys dentatus*, for net pens. Journal of Applied Aquaculture 14, 133–142.

Burgers, J.M., 1948. A mathematical model illustrating the theory of turbulence. Advances in Applied Mechanics 1, 197–199.

Castro, V., Grisdale-Helland, B., Helland, S.J., Kristensen, T., Jørgensen, S.M., Helgerud, J., Claireaux, G., Farrell, A.P., Krasnov, A., Takle, H., 2011. Aerobic training stimulates growth and promotes disease resistance in Atlantic salmon (Salmo salar). Comparative Biochemistry and Physiology A 160, 278–290.

Davidson, W., 1997. The effects of exercise training on teleost fish, a review of recent literature. Comparative Biochemistry and Physiology 117 (1), 67–75.

Davidson, J., Summerfelt, S., 2004. Solids flushing, mixing, and water velocity profiles within large (10 and 150 m³) circular Cornell-type dual-drain tanks. Aquacultural Engineering 32, 245–271.

Despres, B., 2007. Hydrodynamic characteristics of multi-drain circular tanks. Ph.D. Thesis. University of New Brunswick, Canada.

Duarte, S., Reig, L., Masaló, I., Blanco, M., Oca, J., 2011. Influence of tank geometry and flow pattern in fish distribution. Aquacultural Engineering 44, 48–54.

Fisher, M.J., Flack, R.D., 2002. Velocity distributions in a hydrocyclone separator. Experiments in Fluids 32, 302–312.

Franzini, J.B., Finnemore, E.J., 2001. Fluid Mechanics with Engineering Applications. McGraw-Hill, New York.

Huang, S.-L., Chen, H.-C., Chu, C.-C., Chang, C.-C., 2008. On the transition process of a swirling vortex generated in a rotating tank. Experiments in Fluids 45, 267–282.

Kawakubo, T., Tsuchiya, Y., Sugaya, M., Matsumura, K., 1978. Formation of a vortex around a sink: a kind of phase transition in a nonequilibrium open system. Physics Letters A 68, 65–66.

Klapsis, A., Burley, R., 1984. Flow distribution studies in fish rearing tanks. Part 1: Design constraints. Aquacultural Engineering 3, 103–118.

Losordo, T.M., Westers, H., 1994. System carrying capacity and flow estimation. In: Timmons, M.B., Losordo, T.M. (Eds.), Aquaculture Water Systems: Engineering Design and Management. Elsevier, New York, pp. 9–60.

Lugt, H.J., 1983. Vortex Flow in Nature and Technology. John Wiley and Sons, New York

Lundgren, T.S., 1985. The vortical flow above the drain-hole in a rotating vessel. Journal of Fluid Mechanics 155, 381–412.

Masaló, I., 2008. Hydrodynamic characterisation of aquaculture tanks and design criteria for improving self-cleaning properties. Ph.D. Thesis. Universitat Politècnica de Cataluntya BARCELONATECH, Spain.

Masaló, I., Reig, L., Oca, J., 2008. Study of fish swimming activity using acoustical doppler velocimetry (ADV) techniques. Aquacultural Engineering 38, 43–51.

Masaló, I., Oca, J., 2010. Distribution of velocities in aquaculture circular tanks with rotating flow and evaluation of uniformity. In: Aquaculture Europe 2010. Book of Abstracts. European Aquaculture Society, Portugal, pp. 914–915.

Mashauri, D.A., 1986. Modeling of a vortex settling basin for primary clarification of water. Ph.D. Thesis. Tempere University of Technology, Finland.

Merino, G.E., Piedrahita, R.H., Conklin, D.E., 2007. Settling characteristics of solids settled in a recirculating system for California halibut (*Paralichthys californicus*) culture. Aquacultural Engineering 37, 79–88.

Please cite this article in press as: Oca, J., Masalo, I., Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features. Aquacult. Eng. (2012), http://dx.doi.org/10.1016/j.aquaeng.2012.09.002

G Model

AQUE-1651; No. of Pages 8

J. Oca, I. Masalo / Aquacultural Engineering xxx (2012) xxx-xxx

- Oca, J., Masaló, I., Reig, L., 2004. Comparative analysis of flow patterns in aquaculture rectangular tanks with different water inlet characteristics. Aquacultural Engineering 31, 221-236.
- Oca, J., Masalo, I., 2007a. Design criteria for rotating flow cells in rectangular aquaculture tanks. Aquacultural Engineering 36, 36-44.
- Oca, J., Masaló, I., 2007b. Use of the "Tank Resistance Coefficient" to evaluate modifications of water inlet devices in rotating flow tanks. In: Aquaculture Europe 2007. Book of Abstracts. European Aquaculture Society, Turkey, pp. 395–396.
- Paul, T.C., Sayal, S.K., Sakhuja, V.S., Dhillon, G.S., 1991. Vortex-settling basin design considerations. Journal of Hydraulic Engineering 11, 172–189.
- Palstra, A.P., Planas, J.V., 2011. Fish under exercise. Fish Physiology and Biochemistry 37 (2), 259–272.
- Ross, R.M., Watten, B.J., Krise, W.F., DiLauro, M.N., Soderberg, R.W., 1995. Influence of tank design and hydraulic loading on the behavior, growth and metabolism of rainbow trout (Oncorhynchus mykiss). Aquacultural Engineering 14, 29-47.
- Ross, R.M., Watten, B.J., 1998. Importance of rearing unit design and stocking density to the behavior, growth and metabolism of lake trout (Salvelinus namaycush). Aquacultural Engineering 19, 41-56.

- Timmons, M.B., Summerfelt, S.T., Vinci, B.J., 1998. Review of circular tank technology and management. Aquacultural Engineering 18, 51-69.
- Timmons, M.B., Youngs, W.D., 1991. Considerations on the design of raceways. In: Proc. of World Aquaculture Society and American Society of Agricultural Engineers. ASAE Publication, Puerto Rico, pp. 16–20.

 Tvinnereim, K., Skybakmoen, S., 1989. Water exchange and self-cleaning in fish-rearing tanks. In: Aquaculture: A Biotechnology in Progress. European
- Aquaculture Society, Bredene, Belgium.
- Veerapen, J.P., Lowry, B.J., Couturier, M.F., 2005. Design methodology for the swirl separator. Aquacultural Engineering 33, 21-45.
- Wahl, T.L., 2000. Analyzing ADV data using WinADV. In: Joint Conference on Water Resources Planning & Management, Minneapolis, Minnesota.
- Yukimoto, S., Niino, H., Noguchi, T., Kimura, R., Moulin, F.Y., 2010. Structure of a bathtub vortex: importance of the bottom boundary layer. Theoretical and Computational Fluid Dynamics 24, 323-327.
- Yunjie, Li, 2009. Development of design basis for hydrodynamic vortex separators Ph.D. Thesis. Rutgers University, NJ, USA.

Please cite this article in press as: Oca, J., Masalo, I., Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features. Aquacult. Eng. (2012), http://dx.doi.org/10.1016/j.aquaeng.2012.09.002