

DEVELOPMENT OF A STANDARDIZED TOOL TO CALCULATE CARBON FOOTPRINT IN PORTS

Sahar Azarkamand (I), Guillem Ferré (I) and Rosa Mari Darbra (I)*

(I) Resource Recovery and Environmental Management (R2EM). Department of Chemical Engineering. Universitat Politècnica de Catalunya. BarcelonaTech. Diagonal 647, 08028 Barcelona, Catalonia, Spain

* Corresponding author: rm.darbra@upc.edu. +34934010811

Abstract:

Ports are essential contributors of a country's economy. One of the significant environmental threats in ports is Climate Change due to carbon dioxide emissions generated by different activities in these areas.

In the recent years many ports have started to calculate their Carbon Footprint and report it. However, generally each Authority or Operator uses its own method which makes the comparison of results very difficult. There is no single or unified method to calculate Carbon Footprint in ports.

Therefore, the aim of this paper is to present the development of a practicable, user-friendly and free available tool with a standardized method for the calculation of Carbon Footprint in ports. This has been demanded by the port sector in different occasions (e.g. Greenport, 2018).

The tool provides options to select the scopes that are more suitable and applicable to each port. In addition, the tool allows normalizing (standardize to a common ground) the total annual emissions in terms of total tons of cargo handled or annual TEUs. This is basically done to allow a comparison of the results of different ports on the same ground.

The completion of this excel based tool is expected to be around 20 minutes (if data are available) and it is divided into three steps:

- *Step 1: General data such as the port's name, the country and the port total cargo are required.*
- *Step 2: The port should select the different scopes to be included in the calculation and the required data should be filled in order to get the final result.*
- *Step 3: By pressing the result button, a report is produced with the total CO₂ equivalent emissions and also with emissions by capacity (Carbon Footprint) and by scope. This document can be saved as a pdf file.*

Keywords:

Ports, Climate Change, Carbon Footprint, CO₂ calculation tool.

INTRODUCTION

Growing emissions of Greenhouse Gases (GHG) have been proved to be the cause of global Climate Change in port operations [1] and it is one of the main environmental concerns in recent years. In a survey conducted by the European Sea Port Organization (ESPO) in 2019, Climate Change occupied the 3rd position in the ranking of top 10 environmental priorities in ports [2]. This shows the fact that the topic of Climate Change in the maritime industry is getting more importance every day.

For ports it is increasingly acknowledged that the consequences of Climate Change, such as changes in sea level rise, changes in weather or in the storm frequency, will affect both existing and new seaport, and inland waterway infrastructures [3]. Therefore, ports require special treatment because of their economic importance as essential links in supply chains, their location in the heart of sensitive estuarine environments, their reliance on waterfront locations, and the significant existing infrastructure that links them to inland transportation networks [3].

In order to calculate, control and reduce CO₂ emissions in ports, an indicator has been developed: Carbon Footprint. The Carbon Footprint is the total amount of Greenhouse Gases emissions that are emitted directly and indirectly by an activity.

As mentioned before, in recent years some ports have calculated their carbon footprint and reported it. The problem is that there is no single or unified method to calculate Carbon Footprint in ports. Therefore, the development of a practicable, user-friendly and free available tool with a standardized method for the calculation of Carbon Footprint in ports is needed and it has been demanded by the port sector [4]. In this regard, the main aim of this research is to develop this standardized tool. In the next section the concepts of Climate Change and Carbon Footprint are explained in more detail.

1. CLIMATE CHANGE AND CARBON FOOTPRINT

Climate Change is an inherent global issue which has become a major focus of attention because of its potential hazards and impacts on the environment [5]. Due to the increase of the industrialization of human society, the already variable climate of the Earth has been influenced significantly by such human actions [6].

Generally, Climate Change refers to the gradual change in the Earth's climate and physical geography that accompanies an increase in the Earth's temperature [7]. The human contribution to this effect can be measured by the carbon footprint.

Wiedmann & Minx [8] propose the following definition of the term Carbon Footprint: "The Carbon Footprint is a measure of the exclusive total amount of carbon dioxide emissions that is directly and indirectly caused by an activity or is accumulated over the life stages of a product."

Concerns about Climate Change were expressed for the first time in 1979, when the first World Climate Conference was held in Geneva and sponsored by World Meteorological Organization (WMO) [9].

In 1988 the Intergovernmental Panel on Climate Change (IPCC) was set up by both the United Nations Environmental Program (UNEP) and WMO, to provide policymakers with regular scientific assessments on the current state of knowledge about Climate Change [10]. This was followed in 1992 by the development of the United Nations Framework Convention on Climate Change (UNFCCC) in Rio de Janeiro to stabilize GHG concentrations in the atmosphere [11]. The IPCC Guidelines for National Greenhouse Gas Inventories were accepted in 1994 and published in 1995. The revised version of the IPCC Guidelines for National Greenhouse Gas Inventories were issued in 2006 and updated in 2019 [12] and [13]. These guidelines have been used as a reference to develop the new tool.

In addition, in 1998 the World Resources Institute (WRI) and World Business Council for Sustainable Development [14] together with companies, governments and environmental groups from around the world developed the GHG protocol. The GHG Protocol developed standards, tools and online training that helped countries and cities to track progress towards their climate goals [14]. These GHG protocol related documents have been also used to develop the new tool.

Since then several attempts by different organizations have been done to control the effects of Climate Change. The most recent and important one in 2015, the Paris Agreement, recognized Climate Change as an urgent threat and set the mitigation goal of limiting the global temperature increase up to 2 °C and ideally up to 1.5°C within the framework of the United Nations Framework Convention on Climate Change [15].

As mentioned before, one of the human activities which have an effect on Climate Change is activities in ports and maritime sector. International attempts to control Climate Change in ports are introduced below.

In April 2008, the World Ports Climate Initiative (WPCI) was established by the International Association of Ports and Harbours [1]. As a part of the WPCI's mission to provide a platform for the exchange of information, a guideline was developed to serve as an introduction to “carbon footprinting” and as a resource guide for ports wanting to develop or improve their GHG emissions inventories [16]. This guideline is another reference that has been used to develop the new tool.

Beside these initiatives, in recent years several attempts have also been done in this regard. For example, IMO's recent decisions, such as the adoption of a strategy to reduce GHG emissions from shipping by 50% until 2050 (compared to 2008), created a need for finding ways to comply with this goal [17].

As it can be seen, some initiatives have been carried out to foster the reduction of GHG's in the maritime sector. In addition, diverse methods have been developed to calculate the carbon footprint in ports. In a study by Azarkamand et al. [18], more than 21 different methodologies to calculate Carbon Footprint in ports, port terminals and ships were studied and analysed. Ships studies were also included since their emissions are contributing to the total port area carbon footprint. This study presented the Strengths and Opportunities for further development of these methods. The main weaknesses were:

- Each procedure was different and there was not any standard method to calculate CO₂ emissions in this sector.

- In most of the cases, all the emission sources mentioned in the standard guidelines (direct or indirect) were not calculated. In order to have a comprehensive and realistic figure of GHG emissions and Carbon footprint in ports, all emission sources should be taken into account.
- In the majority of the methods emissions from waste operations, which can take place in a port such as incinerators or waste water treatment plants, were not included in the calculation.
- In most of the studies, scopes were not defined based on the standard methods.
- In around 70% of the cases, emissions from employees' commuting were not included. These are a significant source of emissions in scope 3 (i.e. emissions from tenants, vessels and employees' commuting).
- In around 65% of the cases, some of the recognized scopes or parts of them were excluded. For example, the calculation of the scope 3 emissions was not taken into account in some ports.
- In around 60% of the studies, the whole set of scope 3 emissions were not calculated.

Therefore, the total amount of CO₂ emissions would not present a real figure of the Carbon footprint in that particular port.

- In about 60% of the studies where a tool was developed (five cases), the access to this tool was not possible.

As a consequence of this analysis, the need of a tool that overcome all these weaknesses and includes most of the strengths was required. This development of this new tool is introduced in the next sections.

2. METHODOLOGY

Taking all the strengths and weaknesses into account a new standardized tool has been developed. The creation of this tool has been done by the use of Excel software and Visual Basic. In addition, the tool has been based on the IPCC [12 and 13], GHG protocol [14] and WPCI guideline [16].

In the new tool, all scopes and all the direct and indirect emission sources are taken into account. The new tool also includes emissions from waste treatment plants present in the port area such as incinerators, waste water treatment plants and others. They should be taken into account, where there exist, since they are sources of CO₂ emissions as well that should be counted in the total carbon footprint of a port. In addition, emissions from ships are added to this tool.

Moreover, the three main GHG (carbon dioxide (CO₂), methane (CH₄) and nitrous oxide (N₂O)) are included in the new tool and the total amount is presented as a CO₂eq, as it includes all three GHGs emissions.

Finally, the calculation of carbon footprint is presented as a total value as well as a ratio between the total amount of CO₂eq and the total cargo of the port, following the example of a successful experience of Climeport project [19]. This would allow more realistic comparisons between ports if they want to share their figures. In addition, this is basically done to allow a comparison of the results of different ports on the same ground.

The tool provides options to select the scopes and boundaries that are more suitable and applicable to each port.


In order to choose the sources and scopes, WPCI guidelines are used. Based on this guideline scopes in ports are divided in three main groups (Figure 1) [16]:

Scope 1: Port Direct Sources. These sources are directly under the control and operation of the port administration entity and include port-owned fleet vehicles, port administration owned or leased vehicles, buildings (e.g., boilers, furnaces, etc.), port-owned and operated cargo handling equipment, and any other emissions sources that are owned and operated by the port administrative authority.

Scope 2: Port Indirect Sources. These sources include port purchased electricity for port administration owned buildings and operations. Tenant power and energy purchases are not included in this Scope.

Scope 3: Other Indirect Sources. These sources are typically associated with tenant operations and include ships, trucks, cargo handling equipment, rail locomotives, harbour craft, tenant buildings, tenant purchased electricity, and port and tenant employee commuting (train, personal car, public transportation, etc.).

Figure 1. Emission sources in ports [16].



In addition, in the new tool emission sources are categorized based on WPCI [16] guidelines and GHG protocol [14]. In WPCI, emission sources in ports are divided into two main groups, mobile sources and stationary sources [16]:

- **Mobile sources**

Greenhouse gas emissions are produced by mobile sources as fuels are burned. The mobile sources in a port are divided in three main groups: on-road vehicles, waterborne vehicles and construction equipment.

- Stationary sources

Stationary sources are the second group of sources emitting GHG found at ports. They typically account for significantly less Greenhouse gas emissions than the mobile sources. Stationary source emissions come from fixed, particular, identifiable, localized sources or facilities that use combustion processes. The main stationary sources in ports are power plants, boilers, emergency generators and purchased electricity.

As employee commuting is one of the main sources of GHG emissions in scope 3, this source has also been included in the new tool, based on the GHG protocol [14].

In order to choose the calculation method, IPCC (2006, 2019) and GHG protocol guidelines have been used. UNFCCC COP3 which was held in 1997 in Kyoto reaffirmed that the IPCC Guidelines for National Greenhouse Gas Inventories should be used as "methodologies for estimating anthropogenic emissions by sources and removals by sinks of greenhouse gases" [20].

3. DEVELOPMENT OF THE TOOL

The new tool is specifically designed for port authorities to calculate their Carbon Footprint and report it accordingly. This tool is user-friendly, voluntary and free-available.

Options are provided in the tool so that each port authority can calculate the scope and boundaries that are more suitable and applicable to its circumstances.

The tool, the guidelines and the video can be downloaded from <http://eports.cat/carboonfootprint>. Once the user downloads the three files, he/she should save them all together in a folder. Then, the user could run the tool by enabling it. Figure 2 shows the screenshot of the website and the link of the tool.

Figure 2. The screenshot of the website of the tool.

Standardized tool to calculate Carbon Footprint in Ports

One of the main environmental concerns in recent years in ports is carbon dioxide emissions generated by different activities in these areas which lead to Climate Change. The topic of Climate Change in the maritime industry is getting more critical every day.

In order to calculate, control and reduce CO₂ emissions and Climate change effects in ports, a tool has been specifically designed so that port authorities can calculate their Carbon Footprint and report it accordingly. This is a practicable, user-friendly and free available tool.

The completion of this excel based tool is expected to be around 20 minutes (if data are available) and it is divided into three steps:

Step 1: General data such as the port name, the country and the port total cargo are required.

Step 2: The port should select the different scopes to be included in the calculation and the required data should be filled in order to get the final result.

Step 3: By pressing the result button, a report is produced with the total CO₂ equivalent emissions, CO₂ equivalent by total cargo and capacity of the port (Carbon Footprint) as well as CO₂ equivalent emissions by scope. This report can be saved as a pdf file.

If data are not available for some of the sources or if the issues or activities are not applicable to a particular port, it is not necessary to fill the boxes. The program will work in any case and the user can continue filling the rest of the tool. This tool is totally confidential.

Please download the tool with its guidelines and video instructions from the link below. **Once you have unzipped the three files, you should save all them together in a folder in your computer.** When clicking the excel sheet you should enable edition and you can start with your calculation.

[Standardized tool to calculate Carbon Footprint in ports](#)

<< Back

RESEARCH TEAM

The completion of this excel based tool is expected to be around 20 minutes (if data are available) and it is divided into three steps:

- Step1: General data such as the port name, the country and the port total cargo are required (Figure 3).

Figure 3. General data of the port.

GENERAL DATA OF THE PORT

General Data of the studied port

Port Name:

Port Address:

Country:

Capacity: TEU / year Or Total Cargo: million tonnes / year

Note 1: You can proceed with the tool even if some sections are not applicable to your port or data are not available.

Note 2: The boundaries of the tool are the port area and therefore all the emissions calculated should be the ones that are related to those occurring in this area, not outside.

Back Next

- Step 2: The port should select the different scopes to be included in the calculation and the required data should be filled in order to get the final result (Figure 4). Figure 5 shows a sample page of scope 1 to calculate emissions.

Figure 4. Scopes' selection.




Figure 5. Sample calculation page of scope 1.

MOBILE SOURCES

Cargo Handling Equipment

Type	Name	Fuel Type	Consumption	Units	
4					Add
1 Container Handlers CO 1 Gas/ Diesel Oil 650 L 2 Forklifts FO 1 Compressed Natural Gas 755 cubic meters 3 Yard tractors YA 1 Liquefied Petroleum Gases 650 L					Delete

On-Road Vehicles

Type	Name	Fuel Type	Consumption	Units	
4					Add
1 Car CARs Gasol/Diesel 655 L 2 Liquefied natural gas LNG heavy duty truck LFT Liquefied Petroleum Gases 755 L 3 Propane heavy duty truck HDT Compressed Natural Gas 750 L					Delete

Railroad Locomotives

Type	Name	Fuel Type	Consumption	Units	
2					Add
1 Line haul locomotives LH Gas/ Diesel Oil 820 L					Delete

Back Instructions Save Project Next

As mentioned before emission sources are divided into two main groups; mobile sources and stationary sources. For the calculation of all sources of scope 1, the related cells should be filled with appropriate data. Two pages of scope 1 belong to mobile sources and two pages belong to stationary sources.

In scope 2, emissions from purchased electricity for port administration owned buildings and operations are calculated. The needed data are consumption amount and intensity. This latter value is different in each country and you can select from a list your country and the value appears directly (Figure 6).

Figure 6. The calculation page of scope 2.

In scope 3, emissions from tenant are calculated. The emission sources of the tenants are divided into four main groups which are mobile sources, stationary sources, purchased electricity and employee commuting. The required data of these three sources should be filled in eight sheets of the tool. Figure 7 shows the sample calculation page of the scope 3.

Figure 7. The sample calculation page of scope 3.

Figure 8. The last page of the tool.

The screenshot displays the 'EMPLOYEES' COMMUTING' tool interface, divided into three sections:


- Fuel-based method:** Includes a table with columns for Type, Name, Fuel Type, Consumption, and Units. A list below shows: 1 Bus - Local Bus BUS Liquefied Petroleum Gases 1800 L, 2 Train - Tram TRAM Compressed Natural Gas 950 cubic meters, and 3 Taxi/Car CARs Gas/ Diesel Oil 550 L.
- Distance-based method:** Includes a table with columns for Type, Name, Working Days, Distance, and Units. A list below shows: 1 Taxi/Car CARs 320 days 45 km, 2 Bus - Local Bus BUS 320 days 60 km, and 3 Train - Tram TRAM 330 days 120 km.
- Average-data method:** A table for inputting employee data.

Total Number of Employees	Percentage of total commutes (%)	Average one-way distance (km)	Percentage of total commutes (%)	Average one-way distance (km)
Working Days	Rail 25	120	By foot 5	3
	Car 45	35	Bus 25	60

At the bottom, there is a navigation bar with buttons: Back, Back to Selection Page, Instructions, Save Project, Close Program, and Results.

Step 3: By pressing the result bottom (Figure 8), a report is produced with the CO₂ equivalent emissions by scope, the total ones and the carbon footprint which can be saved as a pdf file. Figure 9 shows the sample of pdf result of the tool.

Figure 9. The sample of the results of the tool as a pdf file



4. CONCLUSIONS

In recent years, international organizations and ports are implementing measures to fight against Climate Change effects and to reduce CO₂ emissions. The review of different studies shows that in recent years many ports calculate their Carbon Footprint and report it. However, each port uses each own method and the emissions from some sources such as wastes, commuting employees and vessels are excluded from calculation in many cases. Therefore, there is not any unified and complete method to calculate Carbon Footprint that allows comparing results among different ports. This proves the need for such a methodology for ports. This is supported by most of the participants in the Greenport Congress in Valencia that consider that a common port-sector Carbon Footprint scheme would benefit individual port authorities and the port-

sector as a whole. Therefore, the development of a practical tool with a standardized method for the calculation of Carbon Footprint in ports could be very helpful.

The creation of the tool has been done by the use of Excel software and Visual Basic, based on the WPCI, IPCC and GHG protocol guidelines. This tool is specifically designed for port authorities to calculate their Carbon Footprint and report it accordingly.

It should be mentioned that the development of the tool is just the first step. This tool has been improved and modified based on the feedback obtained from diverse world-wide reviewers. In order to complete and improve this tool, it will be tested with data gathered from different case studies. The results obtained from the tool will be compared with the results of the ports which calculate their Carbon Footprint with their different calculation methods. This will help to have a better understanding of the benefits of this method and it will show the areas which may need to be improved. Then, the required modifications and improvements will be implemented to finalize the tool. In the next step, the tool will be distributed to all interested ports in Europe and outside Europe for free.

References:

- [1] International Association of Ports and Harbors. *Tool box for port clean air programs: improving air quality while promoting business development: a reference guide provided by the International Association of Ports and Harbors*. Tokyo: IAPH Port Environment Committee, 2010. [Date of access: July 2020]. Available from: <<http://iaphtoolbox.wpci.nl/DRAFT%20IAPH%20TOOL%20BOX%20%20dea.pdf>>.
- [2] European Sea Ports Organisation. 2019. *ESPO Environmental Report 2019 : EcoPorts in Sights 2019*. Brussels: ESPO Publications, 2019. [Date of access: July 2020]. Available from: <<https://www.espo.be/media/Environmental%20Report-2019%20FINAL.pdf>>.
- [3] Becker, A.; Inoue, S.; Fischer, M.; Schwegler, B. Climate change impacts on international seaports: knowledge, perceptions, and planning efforts among port administrators. *Climatic Change*. Springer, 2012. **110**, 5–29. ISSN 1573-1480 . Available from: <<https://doi.org/10.1007/s10584-011-0043-7>>.
- [4] GreenPort. *GreenPort : balancing environmental challenges with economic demands*. Fareham: Mercator Media Ltd., 2019. (Issue Summer), 15. Available from: <<https://www.greenport.com/>>.
- [5] Sánchez-Arcilla, A.; Möso, C.; Sierra, J.P. et al. Climate drivers of potential hazards in Mediterranean coasts. *Regional Environmental Change*. Springer, 2011, **11**, 617–636. ISSN 1436-378X. Available from: <<https://doi.org/10.1007/s10113-010-0193-6>>.
- [6] Chao, Q.; Feng, A. Scientific basis of Climate Change and its response. *Global Energy Interconnection Journal*. 2018, **1**(4), 420-427. [Date of access: July 2020]. Available from: <<https://doi.org/10.14171/j.2096-5117.gei.2018.04.002>>

[7] Karl, T.; Melillo, J. M.; Peterson, T. C. *Global climate change impacts in the United States: a state of knowledge report from the U.S. Global change research program*. New York, NY: Cambridge University Press, 2009. ISBN 978-0-521-14407-0. [Date of access: July 2020]. Available from: <<http://www.iooc.us/wp-content/uploads/2010/09/Global-Climate-Change-Impacts-in-the-United-States.pdf>>.

[8] Wiedmann, T.; Minx, J. *A definition of 'Carbon Footprint'*. Durham: ISA UK Research Consulting, 2007. ISA UK Research Report 07-01. [Date of access: July 2020]. Available from: <<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.467.6821&rep=rep1&type=pdf>>.

[9] Sprinz, D.; Luterbacher, U. et al. *International relations and global climate change*. Potsdam: Potsdam Institute for Climate Impact Research, 1996. PIK Report no. 21. [Date of access: July 2020]. Available from: <<https://www.pik-potsdam.de/research/publications/pikreports/.files/pr21.pdf>>.

[10] Intergovernmental Panel on Climate Change. *IPCC Factsheet: Timeline – highlights of IPCC history*. Geneva: IPCC Secretariat, 2015. [Date of access: July 2020]. Available from: <https://www.ipcc.ch/site/assets/uploads/2018/04/FS_timeline.pdf>.

[11] United Nations. *United Nations Framework Convention on Climate Change*. New York: UN, 1992. FCCC/INFORMAL/84 GE.05-62220 (E) 200705. [Date of access: July 2020]. Available from: <<https://unfccc.int/resource/docs/convkp/conveng.pdf>>.

[12] Intergovernmental Panel on Climate Change. *Guidelines for national Greenhouse Gas inventories*. Hayama: Institute for Global Environmental Strategies, 2006. [Date of access: July 2020]. Available from: <https://www.ipcc-nggip.iges.or.jp/public/2006gl/pdf/2006gl_all_in.zip>.

[13] Intergovernmental Panel on Climate Change. *Guidelines for national Greenhouse Gas inventories*. Hayama: Institute for Global Environmental Strategies, 2019. [Date of access: July 2020]. Available from: <https://www.ipcc-nggip.iges.or.jp/public/2019rf/pdf/19R_V0_01_Overview_advance.pdf>.

[14] World Resources Institute; World Business Council for Sustainable Development. *The Greenhouse Gas Protocol: a corporate accounting and reporting standard*. Revised edition. Geneva; Washington: WBCSD; WRI, 2004. [Date of access: July 2020]. Available from: <<https://ghgprotocol.org/sites/default/files/standards/ghg-protocol-revised.pdf>>

[15] United Nations. *The Paris Agreement*. New York: UN, 2016. [Date of access: July 2020]. Available from: <https://unfccc.int/sites/default/files/english_paris_agreement.pdf>.

[16] World Ports Climate Initiative. *Carbon footprinting for ports: guidance document*. WPCI Carbon Footprinting Working Group, 2010. [Date of access: July 2020]. Available from: <https://sustainableworldports.org/wp-content/uploads/Carbon_Footprinting_Guidance_Document.pdf>.

[17] Balestic Port Organization. *Collaboration – maritime industry's path to 2030*. Tallinn: BPO, 2019. [Date of access: July 2020]. Available from: <<http://www.bpoports.com/collaboration-%E2%80%93-maritime-industry%E2%80%99s-path-to-2030.html>>.